



## WCAG 2.1 Level AA Success Criteria

# COMPLIANCE AUDIT

For [www.carmencarr.com](http://www.carmencarr.com) | Verdict: **Semi-compliant**

accessiBe is the web accessibility **market leader**, powering the accessibility of **tens-of-thousands** of websites, from **small businesses** to industry-leading **enterprises**.

This audit evaluates the adherence level of **www.carmencarr.com** as of Mon Jun 12 2023, to the "Web Content Accessibility Guidelines" (WCAG) 2.1 level AA success criteria.

Below you'll find the results for dozens of tests that focus mainly on 3 categories: **screen-reader** adjustments (for blind users), **keyboard navigation** adjustments (for the motor impaired) and **UI, design, and readability** adjustments (for the vision impaired).

#	Requirement	Relevant	Successes	Failures	Score
1	Elements that behave as buttons but are built using other tags such as span, div, a or others, should include a "role" attribute that equals to "button".	No	0	0	-
2	Buttons should include text explaining their functionality, and if icons are used as buttons, a screen-reader only text or an "aria-label" attribute should be used for that description.	No	0	0	-
3	Links should include text that is setting expectations to what page they are leading to. If empty links are used as layout wrapping elements, a screen-reader only text or an "aria-label" attribute should be used for that description.	Yes	42	1	98%

### Code snapshots of some successful elements

```
<a class="hu_link" href="https://www.carmencarr.com/property-organizer-login/" >Register</a>
```

```
<a class="hu_link" href="https://www.carmencarr.com/property-organizer-login/" >Login</a>
```

```
<a class="hu_link hu_phone" href="tel:15304481643" >(530) 448-1643</a>
```

```
<a href="mailto:carmen@carmencarr.com" ><svg role="img" class="social-email" aria-labelledby="social-email-2"><title id="social-email-2">Email</title><use xlink:href="https://www.carmencarr.com/wp-content/plugins/simple-social-icons/symbol-defs.svg#s...
```

```
<a href="http://www.facebook.com/carmencarr.realestate" target="_blank" rel="noopener noreferrer" ><svg role="img" class="social-facebook" aria-labelledby="social-facebook-2"><title id="social-facebook-2">Facebook</title><use xlink:href="https://www....
```

```
<a href="https://www.instagram.com/carmencarrrealestate/" target="_blank" rel="noopener noreferrer" ><svg role="img" class="social-instagram" aria-labelledby="social-instagram-2"><title id="social-instagram-2">Instagram</title><use xlink:href="https:...
```

```
<a href="https://www.linkedin.com/in/carmencarr" target="_blank" rel="noopener noreferrer" ><svg role="img" class="social-linkedin" aria-labelledby="social-linkedin-2"><title id="social-linkedin-2">LinkedIn</title><use xlink:href="https://www.carmenc...
```

```
<a href="https://www.youtube.com/channel/UCETQFws7-Znf-1Ngw87BGZQ" target="_blank" rel="noopener noreferrer" ><svg role="img" class="social-youtube" aria-labelledby="social-youtube-2"><title id="social-youtube-2">YouTube</title><use xlink:href="https...
```

```
<a href="https://www.carmencarr.com/" aria-current="page" ><span>Home</span></a>
```

```
<a href="https://www.carmencarr.com/search-lake-tahoe-truckee-donner-real-estate/" ><span>Search</span></a>
```

#### Code snapshots of some failed elements

```
<a href="https://www.carmencarr.com/" ></a>
```

---

4	<a href="#">Links that open in a new tab or a new window should either have an "aria-label" attribute or a screen-reader only element explaining to screen-readers that this opens in a new tab.</a>	No	0	6	-
---	--	----	---	---	---

#### Code snapshots of some failed elements

```
<a href="http://www.facebook.com/carmencarr.realestate" target="_blank" rel="noopener noreferrer" ><svg role="img" class="social-facebook" aria-labelledby="social-facebook-2"><title id="social-facebook-2">Facebook</title><use xlink:href="https://www....
```

```
<a href="https://www.instagram.com/carmencarrrealestate/" target="_blank" rel="noopener noreferrer" ><svg role="img" class="social-instagram" aria-labelledby="social-instagram-2"><title id="social-instagram-2">Instagram</title><use xlink:href="https:...
```

```
<a href="https://www.linkedin.com/in/carmencarr" target="_blank" rel="noopener noreferrer" ><svg role="img" class="social-linkedin" aria-labelledby="social-linkedin-2"><title id="social-linkedin-2">LinkedIn</title><use xlink:href="https://www.carmenc...
```

```
<a href="https://www.youtube.com/channel/UCETQFws7-Znf-1Ngw87BGZQ" target="_blank" rel="noopener noreferrer" ><svg role="img" class="social-youtube" aria-labelledby="social-youtube-2"><title id="social-youtube-2">YouTube</title><use xlink:href="https...
```

```
<a target="_blank" class="hm_cta" href="https://www.youtube.com/channel/UCETQFws7-Znf-1Ngw87BGZQ" rel="noopener" >More Videos</a>
```

```
<a href="http://www.idxcentral.com/" target="_blank" title="Real Estate Website Design" >Real Estate Website Design</a>
```

---

5	An H1 title provides information to blind-users using screen-readers of what the main topic of the page is and each page should have exactly one H1 title.	Yes	Pass	-	100%
---	--	-----	------	---	------

### Code snapshots of some successful elements

```
<h1 id="slider-1-slide-1-layer-1" class="rs-layer NotGeneric-Title" data-type="text" data-color="rgba(255,255,255,1)" data-rsp_ch="on" data-xy="x:c;y:m;yo:65px;" data-text="s:48;l:64,64,64,48;" data-padding="t:10;b:10;" data-frame_0="sX:0.9;sY:0.9;" ...
```

---

6	HTML title elements (H1-6) should have texts. If images or links are used, they should include an alternative or screen-reader only text.	Yes	14	0	100%
---	---	-----	----	---	------

---

7	Elements that visually appear as titles but	No	0	0	-
---	---	----	---	---	---

to "heading" or have their tags fixed.

8	Title levels should not be skipped and should be built with consistent hierarchy. For example: you cannot have "h4" titles and "h2" titles without having "h3" titles.	Yes	Pass	-	100%
9	Interactive elements such as links, buttons and form fields should all be navigable using the keyboard by either using a focusable element (a, button, input, etc.) or including the "tabindex" attribute that equals to "0".	No	Fail	-	-

### Code snapshots of some failed elements

```
<rs-layer id="slider-1-slide-1-layer-9" class="rev-scroll-btn rs-layer rs-waction rs-wclickaction" data-type="button" data-xy="x:c;y:b;yo:50px;" data-text="fw:100;" data-dim="w:35px;" data-actions="o:click;a:scrollbelow;offset:0;sp:300;e:none;" data-...
```

10	Interactive elements that can be navigated using the keyboard should be surrounded by a visual outline whenever they are focused.	No	Fail	-	-
11	Active popups should include an "aria-modal" attribute that equals to "true", and a "role" attribute that equals to "dialog", so screen-reader users know how to navigate within it.	No	0	0	-
12	Every page should include hidden links that by clicking on them (either using keyboard navigation or a screen-reader), the user will "skip" certain blocks directly to main landmarks such as main content, menu or footer.	No	Fail	-	-
13	Elements that are hidden using CSS	No	0	0	-

on screen, they should be mapped to an element with an "aria-hidden" attribute

that equals to "false", or include it directly, and have it dynamically changed to "true" when they become visible.

14	Elements that are hidden using CSS manipulations (opacity, height, text-indent, off-canvas, etc.) should include a "tabindex" attribute that is below 0, and have it dynamically changed to 0 when they become visible.	No	0	0	-
15	Menus should either be built using the HTML5 "nav" element or include a "role" attribute that equals to "menu" or "navigation" to indicate a navigation landmark for screen-readers.	No	0	0	-
16	Menu items that have a dropdown menu include an "aria-haspopup" attribute that equals to "true".	No	0	0	-
17	Menu items that have a dropdown menu include an "aria-expanded" attribute that equals to "false" that changes to "true" and back when opening or closing the dropdown.	No	0	0	-
18	Images should have an alternative text description that describes both the objects and the embedded text that the image contains, using the "alt" attribute.	Yes	7	2	78%

### Code snapshots of some successful elements

```

```

```

```

```

```

```

```

```

```

```

```

```

```

### Code snapshots of some failed elements

```

```

```

```

"img" and an alternative text description in an "aria-label" attribute.

20 Font icons, SVG or images that are being used as spacers, decorations or their purpose is already described by the content should include a "role" attribute that equals to "presentation" or "none".

Yes

7

8

47%

### Code snapshots of some successful elements

```
<i class="fa fa-search" aria-hidden="true"></i>
```

```
<i class="fa fa-envelope" aria-hidden="true"></i>
```

```
<i class="fa fa-home" aria-hidden="true"></i>
```

```
<span class="fbx-count" style="display: none;" ></span>
```

```
<i id="npl_spinner" class="fa fa-spin fa-spinner" ></i>
```

```
<i class="fa fa-times" ></i>
```

```
<i class="fa fa-spin fa-spinner" ></i>
```

### Code snapshots of some failed elements

```
<span> </span>
```

```
<span><div class="iu_divider_line_mid_square"></div></span>
```

```
<svg version="1.1" xmlns="http://www.w3.org/2000/svg" width="16" height="16" viewBox="0 0 16 16" class="fbx-icon fbx-icon-spinner fbx-icon-default" ><path class="fbx-icon-spinner-default" d="M3 8c0-0.19 0.011-0.378 0.032-0.563l-2.89-0.939c-0.092 0.48...
```



```
<svg version="1.1" xmlns="http://www.w3.org/2000/svg" width="16" height="16" viewBox="0 0 16 16" class="fbx-icon fbx-icon-prev fbx-icon-default"><path class="fbx-icon-arrows-default" d="M14.57 8.643q0 0.473-0.29 0.808t-0.754 0.335h-6.286l2.616 2.625..."
```

```
<svg version="1.1" xmlns="http://www.w3.org/2000/svg" width="16" height="16" viewBox="0 0 16 16" class="fbx-icon fbx-icon-next fbx-icon-default"><path class="fbx-icon-arrows-default" d="M14.57 8.071q0 0.482-0.33 0.813l-5.813 5.813q-0.348 0.33-0.813 ..."
```

```
<svg version="1.1" xmlns="http://www.w3.org/2000/svg" width="16" height="16" viewBox="0 0 16 16" class="fbx-icon fbx-icon-close fbx-icon-default"><path class="fbx-icon-close-default" d="M13.405 11.404q0 0.357-0.25 0.607l-1.214 1.214q-0.25 0.25-0.607..."
```

```
<svg version="1.1" xmlns="http://www.w3.org/2000/svg" width="16" height="16" viewBox="0 0 16 16" class="fbx-icon fbx-icon-slideshow fbx-icon-default"><path class="fbx-icon-play-default" d="M15.28 8.277l-11.857 6.589q-0.205 0.116-0.353 0.027t-0.147-0..."
```

```
<svg version="1.1" xmlns="http://www.w3.org/2000/svg" width="16" height="16" viewBox="0 0 16 16" class="fbx-icon fbx-icon-social fbx-icon-default"><path d="M13.5 11c-0.706 0-1.342 0.293-1.797 0.763l-6.734-3.367c0.021-0.129 0.032-0.261 0.032-0.396s-0..."
```

---

21	Figure elements that are used to display images should have a "role" attribute that equals to "none" and the image provide itself should provide the description using an "alt" attribute.	No	0	0	-
22	Every "area" element of a "map" tag should be regarded as a standard image and receive an alternative text description using an "alt" attribute.	No	0	0	-
23	Small or hidden tracker pixel images (often used for analytics or marketing purposes) should include a "role" attribute that equals to "none" or "presentation" so they are excluded from screen-readers.	No	0	0	-

---

24	Form fields should either include an "aria-label" attribute or a connected LABEL element describing the requirement of the field (email, phone, name, etc.).	No	0	0	-
25	Form elements cannot have the same ID, or else their corresponding label will provide false information.	No	0	0	-
26	Required form fields should include an "aria-required" attribute that equals to "true" so blind users using screen-readers know their validation.	No	0	0	-
27	The validity status of every form element must be represented in the code at all times using the "aria-invalid" attributes and the "true/false" values, and change dynamically when the status changes.	No	0	0	-
28	aria-describedby and aria-labeledby attributes should be connected by ID to an element that either has text description or an "aria-label" attribute.	Yes	5	0	100%

### Code snapshots of some successful elements

```
<svg role="img" class="social-email" aria-labelledby="social-email-2" ><title id="social-email-2" >Email</title><use xlink:href="https://www.carmencarr.com/wp-content/plugins/simple-social-icons/symbol-defs.svg#social-email" ></use></svg>
```

```
<svg role="img" class="social-facebook" aria-labelledby="social-facebook-2" ><title id="social-facebook-2" >Facebook</title><use xlink:href="https://www.carmencarr.com/wp-content/plugins/simple-social-icons/symbol-defs.svg#social-facebook" ></use></s...>
```

```
<svg role="img" class="social-instagram" aria-labelledby="social-instagram-2" ><title id="social-instagram-2" >Instagram</title><use xlink:href="https://www.carmencarr.com/wp-content/plugins/simple-social-icons/symbol-defs.svg#social-instagram" ></us...>
```

```
<svg role="img" class="social-linkedin" aria-labelledby="social-linkedin-2" ><title id="social-linkedin-2" >LinkedIn</title><use xlink:href="http s://www.carmencarr.com/wp-content/plugins/simple-social-icons/symbol-def s.svg#social-linkedin" ></use></s...
```

```
<svg role="img" class="social-youtube" aria-labelledby="social-youtube-2" ><title id="social-youtube-2" >YouTube</title><use xlink:href="https://ww w.carmencarr.com/wp-content/plugins/simple-social-icons/symbol-defs.svg#s ocial-youtube" ></use></svg>
```

29	All forms should have a submission button that is built as an input type "submit" or a "button" element, or include a "role" tag that equals to "button". Buttons can be hidden if the form can be submitted using the Enter key.	No	0	0	-
30	Search forms should include a "role" tag that equals to "search" (or be wrapped by one) to indicate a search landmark for screen-readers.	No	0	0	-
31	The title tag of the HEAD section (also the title that appears in the browser tab and Search Engine result pages) should exist and describe the name of the current webpage for screen-reader users.	Yes	Pass	-	100%

### Code snapshots of some successful elements

```
<title>Lake Tahoe Truckee Donner Real Estate - Truckee | North Lake Tahoe </title>
```

32	The HTML tag should include a "lang" attribute that represents the main language of the webpage so screen-readers can calibrate on it for blind users.	Yes	Pass	-	100%
----	--	-----	------	---	------

### Code snapshots of some successful elements



```
<div class="ao_fn_featured_neighborhoods neighborhoods_wide"> <div class="ao_fn_wrap_outer effect-chico" > <div class="ao_fn_wrap_inner"> <a href="https://www.carmencarr.com/neighborhoods/donner-lake-real-estate/" class="ao_f...
```

```
<div class="ao_fn_wrap_outer effect-chico" > <div class="ao_fn_wrap_inner"> <a href="https://www.carmencarr.com/neighborhoods/donner-lake-real-estate/" class="ao_fn_primary_link" title="Donner Lake Real Estate" > <div ...
```

```
<div class="ao_fn_wrap_inner"> <a href="https://www.carmencarr.com/neighborhoods/donner-lake-real-estate/" class="ao_fn_primary_link" title="Donner Lake Real Estate" > <div class="ao_fn_image_container"> ...
```

```
<div class="ao_fn_text_overlay" > <div class="ao_fn_text_overlay_wrap"> <a href="https://www.carmencarr.com/neighborhoods/donner-lake-real-estate/" title="Donner Lake Real Estate" > <h2>Donner Lak...
```

```
<div class="ao_fn_text_overlay_wrap"> <a href="https://www.carmencarr.com/neighborhoods/donner-lake-real-estate/" title="Donner Lake Real Estate" > <h2>Donner Lake Real Estate</h2> <spa...
```

```
<div class="ao_fn_wrap_outer effect-chico" > <div class="ao_fn_wrap_inner"> <a href="https://www.carmencarr.com/neighborhoods/greater-truckee-real-estate/" class="ao_fn_primary_link" title="Greater Truckee Real Estate" > ...
```

```
<div class="ao_fn_wrap_inner"> <a href="https://www.carmencarr.com/neighborhoods/greater-truckee-real-estate/" class="ao_fn_primary_link" title="Greater Truckee Real Estate" > <div class="ao_fn_image_container"> ...
```

```
<div class="ao_fn_text_overlay" > <div class="ao_fn_text_overlay_wrap"> <a href="https://www.carmencarr.com/neighborhoods/greater-truckee-real-estate/" title="Greater Truckee Real Estate" > <h2>Gr...
```

```
<div class="ao_fn_text_overlay_wrap"> <a href="https://www.carmencarr.com/neighborhoods/greater-truckee-real-estate/" title="Greater Truckee Real Estate" > <h2>Greater Truckee Real Estate</h2> ...
```

```
<div class="ao_fn_wrap_outer effect-chico" > <div class="ao_fn_wrap_inne  
r"> <a href="https://www.carmencarr.com/neighborhoods/lahontan-real-estat  
e/" class="ao_fn_primary_link" title="Lahontan Real Estate" > <div class  
=...
```

36	Letter spacing should not be set to below -1px in order to stay readable in the majority of font families. This should be verified also when using dynamic units such as REM or percents.	Yes	Pass	-	100%
37	Elements that have texts should meet a minimum contrast ratio of 4.5:1 between their foreground (usually text color) and background color.	Yes	53	16	77%

### Code snapshots of some successful elements

```
<a class="hu_link" href="https://www.carmencarr.com/property-organizer-lo  
gin/" >Register</a>
```

```
<a class="hu_link" href="https://www.carmencarr.com/property-organizer-lo  
gin/" >Login</a>
```

```
<a class="hu_link hu_phone" href="tel:15304481643" >(530) 448-1643</a>
```

```
<span>Home</span>
```

```
<span>Search</span>
```

```
<span>Search All Listings</span>
```

```
<span>Search by Map</span>
```

```
<span>Featured Listings</span>
```

```
<span>New Listing Notifications</span>
```



...something that equals to "contentinfo" or something else that indicates the

functionality, as well as be tagged as a landmark for screen-readers using a "role" tag that equals to "contentinfo".

39	Control elements such as next and previous icons should include an "aria-label" attribute or a screen-reader only text that explains the functionality to screen-readers.	No	0	0	-
40	A common accessibility mistake is to treat carousels as live regions using the "aria-live" attribute and the "polite" or the "assertive" values. Using this practice will cause screen-readers to cut and skip announcements.	No	0	0	-
41	Carousel pagination items (usually used as small dots at the bottom of the carousel) should indicate their functionality and slide number they control using an "aria-label" and a screen-reader only text.	No	0	0	-
42	Tables that are being used as layout structures should include a "role" attribute that equals to "presentation" to indicate to screen-readers that it is not really a table.	No	0	0	-
43	If nested tables are used (a table element within a table cell), set the nested tables "role" attribute to "presentation".	No	0	0	-
44	Tables that are missing a THEAD row with TH elements, should include a "role" attribute that equals to "rowheader" on the TD elements of the TR that represents the visual table headings.	No	0	0	-



previous price of a sale) should include an

"aria-label" attribute or a screen-reader only text that explains this is deleted text.

46	Breadcrumbs main element should include a "role" attribute that equals to "navigation" and an "aria-label" attribute that describes the functionality."	No	0	0	-
47	Ratings/scores that are represented visually using stars, meters or other indicators should either have an "aria-label" attribute or a screen-reader only texts conveying the score/rate.	No	0	0	-
48	Making use of an accessibility interface helps to ensure that vision impaired users can adjust some of the UI and the design (font-size, colors, spacing, etc.) to their needs. It is not a compliance requirement, but can help to improve compliance.	No	0	0	-
49	Iframe elements should include a "title" or an "aria-label" attribute explaining the purpose, the functionality or the destination of the iframe, or be tagged hidden for screen-readers if irrelevant.	Yes	Pass	-	100%

### Code snapshots of some successful elements

```
<iframe allow="autoplay; fullscreen" type="text/html" src="https://www.youtube-nocookie.com/embed/kDvdJfB-FAk?version=3&enablejsapi=1&html5=1&hd=1&wmode=opaque&showinfo=0&rel=0&origin=https://www.carmencarr.com;&contro...
```