



WCAG 2.1 Level AA Success Criteria

# COMPLIANCE AUDIT

For [christianeberry.remax.com](https://christianeberry.remax.com) | Verdict: **Non-compliant**

This audit evaluates the adherence level of **christianeberry.remax.com** as of Mon Jul 17 2023, to the "Web Content Accessibility Guidelines" (WCAG) 2.1 level AA success criteria.

Below you'll find the results for dozens of tests that focus mainly on 3 categories: **screen-reader** adjustments (for blind users), **keyboard navigation** adjustments (for the motor impaired) and **UI, design, and readability** adjustments (for the vision impaired).

#	Requirement	Relevant	Successes	Failures	Score
1	Elements that behave as buttons but are built using other tags such as span, div, a or others, should include a "role" attribute that equals to "button".	Yes	10	48	17%

### Successful Elements

```
<button type="submit" class="btn btn-primary btn-block" id="qs-submit" >Search</button>
```

```
<button id="more-options" class="btn-primary btn-sm" value="showMoreOptions" >More Options <i class="fa fa-arrow-down" aria-hidden="true"></i> </button>
```

```
<button type="button" role="presentation" class="owl-prev" ><i class="fa fa-chevron-left"></i></button>
```

```
<button type="button" role="presentation" class="owl-next" ><i class="fa fa-chevron-right"></i></button>
```

```
<button type="button" role="presentation" class="owl-prev disabled" ><i aria-label="previous" class="fa fa-chevron-left"></i></button>
```

```
<button type="button" role="presentation" class="owl-next" ><i aria-label="next" class="fa fa-chevron-right"></i></button>
```

### Failed Elements

```
<span tabindex="0" class="carousel-link" data-destination="/index.php?advanced=1&display=&areas%5B%5D=city%3APlacerville%3ACA&custombox=&types[]=1&types[]=2&beds=0&baths=0&min=0&max=10000000&minfootage=0&m...
```

```
<div class="listing-box-image-label" >Just Listed</div>
```

```
<a href="javascript:void(0)" rel="nofollow" data-action="similar" data-leadid="0" data-mls="47" data-mlsid="223066201" > <i class="fa fa-picture-o"></i> <span>Similar Properties</span> ...
```

```
<a class="saveListing" href="javascript:void(0)" rel="nofollow" data-action="save" data-leadid="0" data-mls="47" data-mlsid="223066201" > <i class="fa fa-heart"></i><span>Save</span> ...
```

```
<a href="javascript:void(0)" rel="nofollow" data-action="similar" data-leadid="0" data-mls="47" data-mlsid="223066117" > <i class="fa fa-picture-o"></i> <span>Similar Properties</span> ...
```

```
<a class="saveListing" href="javascript:void(0)" rel="nofollow" data-action="save" data-leadid="0" data-mls="47" data-mlsid="223066117" > <i class="fa fa-heart"></i><span>Save</span> ...
```

```
<a href="javascript:void(0)" rel="nofollow" data-action="similar" data-leadid="0" data-mls="47" data-mlsid="223066534" > <i class="fa fa-picture-o"></i> <span>Similar Properties</span> ...
```

```
<a class="saveListing" href="javascript:void(0)" rel="nofollow" data-action="save" data-leadid="0" data-mls="47" data-mlsid="223066534" > <i class="fa fa-heart"></i><span>Save</span> ...
```

```
<a href="javascript:void(0)" rel="nofollow" data-action="similar" data-leadid="0" data-mls="47" data-mlsid="223066238" > <i class="fa fa-picture-o"></i> <span>Similar Properties</span> ...
```

```
<a class="saveListing" href="javascript:void(0)" rel="nofollow" data-action="save" data-leadid="0" data-mls="47" data-mlsid="223066238" > <i class="fa fa-heart"></i><span>Save</span> ...
```

- 
- 2 [Buttons should include text explaining their functionality, and if icons are used as buttons, a screen-reader only text or an "aria-label" attribute should be used for that description.](#)

Yes

50

4

86%

### Successful Elements

```
<button type="submit" class="btn btn-primary btn-block" id="qs-submit" >Search</button>
```

```
<button id="more-options" class="btn-primary btn-sm" value="showMoreOptions" >More Options <i class="fa fa-arrow-down" aria-hidden="true"></i> </button>
```

```
<span tabindex="0" class="carousel-link" data-destination="/index.php?advanced=1&display=&areas%5B%5D=city%3APlacerville%3ACA&custombox=&types[]=1&types[]=2&beds=0&baths=0&min=0&max=10000000&minfootage=0&m...
```

```
<div class="listing-box-image-label" >Just Listed</div>
```

```
<a href="javascript:void(0)" rel="nofollow" data-action="similar" data-leadid="0" data-mls="47" data-mlsid="223066201" > <i class="fa fa-picture-o"></i> <span>Similar Properties</span> ...
```

```
<a class="saveListing" href="javascript:void(0)" rel="nofollow" data-action="save" data-leadid="0" data-mls="47" data-mlsid="223066201" > <i class="fa fa-heart"></i><span>Save</span> ...
```

```
<a href="javascript:void(0)" rel="nofollow" data-action="similar" data-leadid="0" data-mls="47" data-mlsid="223066117" > <i class="fa fa-picture-o"></i> <span>Similar Properties</span> ...
```

```
<a class="saveListing" href="javascript:void(0)" rel="nofollow" data-action="save" data-leadid="0" data-mls="47" data-mlsid="223066117" > <i class="fa fa-heart"></i><span>Save</span> ...
```

```
<a href="javascript:void(0)" rel="nofollow" data-action="similar" data-leadid="0" data-mls="47" data-mlsid="223066534" > <i class="fa fa-picture-o"></i> <span>Similar Properties</span> ...
```

```
<a class="saveListing" href="javascript:void(0)" rel="nofollow" data-action="save" data-leadid="0" data-mls="47" data-mlsid="223066534" > <i class="fa fa-heart"></i><span>Save</span> ...
```

## Failed Elements

```
<button type="button" role="presentation" class="owl-prev" ><i class="fa fa-chevron-left"></i></button>
```

```
<button type="button" role="presentation" class="owl-next" ><i class="fa fa-chevron-right"></i></button>
```

```
<button type="button" role="presentation" class="owl-prev disabled" ><i aria-label="previous" class="fa fa-chevron-left"></i></button>
```

```
<button type="button" role="presentation" class="owl-next" ><i aria-label="next" class="fa fa-chevron-right"></i></button>
```

- 3 [Links should include text that is setting expectations to what page they are leading to. If empty links are used as layout wrapping elements, a screen-reader only text or an "aria-label" attribute should be used for that description.](#)

Yes

198

0

100%

### Successful Elements

```
<a aria-label="login" href="/login.php?login=1" > <i class="fa fa-sign-in action" aria-hidden="true"></i> <span class="hidden-sm-down"> <strong>Log in<...</strong></span> </a>
```

```
<a href="/contact.php" > <i class="fa fa-envelope action" aria-hidden="true"></i> <span class="hidden-sm-down">Contact</span> </a>
```

```
<a aria-label="facebook" target="_blank" href="https://www.facebook.com/christianeberryworks4u" > <i class="fa fa-facebook social" aria-hidden="true"></i> </a>
```

```
<a aria-label="linkedin" target="_blank" href="https://www.linkedin.com/in/christiane-berry-014541229/" > <i class="fa fa-linkedin social" aria-hidden="true"></i> </a>
```

```
<a aria-label="instagram" target="_blank" href="https://www.instagram.com/christianeworks4u/" > <i class="fa fa-instagram social" aria-hidden="true"></i> </a>
```

```
<a href="/index.php" >  </a>
```

```
<a href="/index.php?advanced=1&types%5B0%5D=1&types%5B1%5D=2&beds=0&baths=0&min=0&max=100000000&rtype=list" class="nav-link " > Search </a>
```

```
<a href="/seller/valuation/" class="nav-link " > Sell </a>
```

```
<a href="/agents.php" aria-label="Agents" class="nav-link" > Your Agent </a>
```

```
<a href="/resources.php" class="nav-link " > Resources </a>
```

- 4 [Links that open in a new tab or a new window should either have an "aria-label" attribute or a screen-reader only element explaining to screen-readers that this opens in a new tab.](#)

Yes

3

2

60%

### Successful Elements

```
<a aria-label="facebook" target="_blank" href="https://www.facebook.com/christianeberryworks4u" > <i class="fa fa-facebook social" aria-hidden="true"></i> </a>
```

```
<a aria-label="linkedin" target="_blank" href="https://www.linkedin.com/in/christiane-berry-014541229/" > <i class="fa fa-linkedin social" aria-hidden="true"></i> </a>
```

```
<a aria-label="instagram" target="_blank" href="https://www.instagram.com/christianeworks4u/" > <i class="fa fa-instagram social" aria-hidden="true"></i> </a>
```

### Failed Elements

```
<a href="https://drive.google.com/file/d/1wGxyzWtCO8CKUxJ-thoL9j4KfKi5fDNY/view?usp=sharing" target="_blank" >Terms of Use</a>
```

```
<a id="chat-with-us-link" target="_blank" href="https://m.me/christianeberryworks4u" style="z-index:12;bottom:0px;right:5px;position:fixed" ><div class="chatbox-launch-button"><div class="chatbox-button-inner"><div clas
```

5	An H1 title provides information to blind-users using screen-readers of what the main topic of the page is and each page should have exactly one H1 title.	No	0	2	-
---	--	----	---	---	---

**Failed Elements**

```
<h1 class="m-b-0">Christiane Berry</h1>
```

```
<h1 class="center fw-300">Areas We Cover</h1>
```

6	HTML title elements (H1-6) should have texts. If images or links are used, they should include an alternative or screen-reader only text.	Yes	42	0	100%
---	---	-----	----	---	------

7	Elements that visually appear as titles but are coded with a non-heading HTML Tag should include a "role" attribute that equals to "heading" or have their tags fixed.	No	0	0	-
---	--	----	---	---	---

8	Title levels should not be skipped and should be built with consistent hierarchy. For example: you cannot have "h4" titles and "h2" titles without having "h3" titles.	No	0	2	-
---	--	----	---	---	---

**Failed Elements**

```
<h4></h4>
```

```
<h5></h5>
```

9	Interactive elements such as links, buttons and form fields should all be navigable using the keyboard by either using a focusable element (a, button, input, etc.) or	Yes	3	0	100%
---	--	-----	---	---	------

## Successful Elements

```
<span tabindex="0" class="carousel-link" data-destination="/index.php?advanced=1&display=&areas%5B%5D=city%3APlacerville%3ACA&custombox=&types[]=1&types[]=2&beds=0&baths=0&min=0&max=10000000&minfootage=0&m...
```

```
<span tabindex="0" class="carousel-link" data-destination="/index.php?quick=1&display=&custombox=&types[]=1&types[]=2&beds=0&mp;baths=0&min=0&max=10000000&minfootage=0&maxfootage=30000&minacres=0&maxacres...
```

10	Interactive elements that can be navigated using the keyboard should be surrounded by a visual outline whenever they are focused.	No	Fail	-	-
11	Active popups should include an "aria-modal" attribute that equals to "true", and a "role" attribute that equals to "dialog", so screen-reader users know how to navigate within it.	No	0	0	-
12	Every page should include hidden links that by clicking on them (either using keyboard navigation or a screen-reader), the user will "skip" certain blocks directly to main landmarks such as main content, menu or footer.	Yes	1	1	100%

## Successful Elements

```
<a class="left carousel-control" href="#testimonials" role="button" data-slide="prev" > <span class="icon-prev" aria-hidden="true" ></span> <span class="sr-only" >Previous</span> ...
```

```
<a class="right carousel-control" href="#testimonials" role="button" data-slide="next" > <span class="icon-next" aria-hidden="true" ></span> <span class="sr-only" >Next</span> ...
```



```
<a aria-haspopup="true" class="VIpgJd-ZVi9od-xl070b-lTBxed" href="#" ><span ></span><span style="border-left: 1px solid rgb(187, 187, 187);" ></span> <!--common navigation menu--> <li class="nav-item"> <a href="/index.php?advanced=1&types%5B0%5D=1&types%5B1%5D=2&beds=0&baths=0&min=0&max=1000000..."
```

16	Menu items that have a dropdown menu include an "aria-haspopup" attribute that equals to "true".	No	0	2	-
----	--	----	---	---	---

### Failed Elements

```
<a href="/agents.php" aria-label="Agents" class="nav-link" > Your Agent </a>
```

```
<a href="/resources.php" class="nav-link " > Resources </a>
```

17	Menu items that have a dropdown menu include an "aria-expanded" attribute that equals to "false" that changes to "true" and back when opening or closing the dropdown.	No	0	2	-
----	--	----	---	---	---

### Failed Elements

```
<a href="/agents.php" aria-label="Agents" class="nav-link" > Your Agent </a>
```

```
<a href="/resources.php" class="nav-link " > Resources </a>
```

18	Images should have an alternative text description that describes both the objects and the embedded text that the image contains, using the "alt" attribute.	Yes	18	1	95%
----	--	-----	----	---	-----

### Successful Elements

```

```

```

```

```

```

```

```

```

```

```

```

```

```

## Failed Elements

```

```

19	Background images that are not just for decoration purposes and should have the same treatment as standard images and include a "role" attribute that equals to "img" and an alternative text description in an "aria-label" attribute.	No	0	0	-
20	Font icons, SVG or images that are being used as spacers, decorations or their purpose is already described by the content should include a "role" attribute that equals to "presentation" or "none".	Yes	256	293	47%

## Successful Elements

```
<i class="fa fa-sign-in action" aria-hidden="true"></i>
```

```
<i class="fa fa-envelope action" aria-hidden="true"></i>
```

```
<i class="fa fa-facebook social" aria-hidden="true"></i>
```

```
<i class="fa fa-linkedin social" aria-hidden="true"></i>
```

```
<i class="fa fa-instagram social" aria-hidden="true"></i>
```

```
<span class="input-group-addon" ><i class="fa fa-search" aria-hidden="true" ></i></span>
```

```
<i class="fa fa-search" aria-hidden="true" ></i>
```

```
<span ></span>
```

```
<span style="background-image: url('https://dtzulyujzhqiu.cloudfront.net/remaxgold8188/profiles/1689601292_1367494.jpg');" ></span>
```

```
<span class="bs-caret" ><span class="caret" ></span></span>
```

### Failed Elements

```
<i class="fa fa-star visible-star" ></i>
```

```
<i class="fa fa-user m-r-1" ></i>
```

```
<i class="fa fa-star visible-star"></i>
```

```
<i class="fa fa-user m-r-1"></i>
```

```
<i class="fa fa-search"></i>
```

```
<i class="fa fa-picture-o"></i>
```

```
<i class="fa fa-heart"></i>
```

```
<i class="fa fa-search" ></i>
```

```
<i class="fa fa-picture-o" ></i>
```

```
<i class="fa fa-heart" ></i>
```

21	Figure elements that are used to display images should have a "role" attribute that equals to "none" and the image provide itself should provide the description using an "alt" attribute.	No	0	0	-
22	Every "area" element of a "map" tag should be regarded as a standard image and receive an alternative text description using an "alt" attribute.	No	0	0	-
23	Small or hidden tracker pixel images (often used for analytics or marketing purposes) should include a "role" attribute that equals to "none" or "presentation" so they are excluded from screen-readers.	No	0	0	-
24	Form fields should either include an "aria-label" attribute or a connected LABEL element describing the requirement of the field (email, phone, name, etc.).	Yes	Pass	-	100%

### Successful Elements

```
<input type="text" class="token-input tt-input" autocomplete="off" placeholder="City, Area, Zip, MLS®, or Address" id="location_search-tokenfield" tabindex="0" title="" style="min-width: 60px; width: 559px; position: relative; vertical-align: top;" ...
```

25	Form elements cannot have the same ID, or else their corresponding label will provide false information.	No	0	0	-
26	Required form fields should include an "aria-required" attribute that equals to "true" so blind users using screen-readers know their validation.	No	0	0	-

times using the "aria-invalid" attributes and

the "true/false" values, and change dynamically when the status changes.

---

28	aria-describedby and aria-labeledby attributes should be connected by ID to an element that either has text description or an "aria-label" attribute.	No	Fail	-	-
----	---	----	------	---	---

### Failed Elements

```
<div class="modal fade" id="request-information" tabindex="-1" role="dialog" aria-labelledby="requestInformation" > <div class="modal-dialog dialog-centered" role="document" > <button type="button" class="close" data-dismiss="modal" aria-...
```

---

29	All forms should have a submission button that is built as an input type "submit" or a "button" element, or include a "role" tag that equals to "button". Buttons can be hidden if the form can be submitted using the Enter key.	Yes	Pass	-	100%
----	---	-----	------	---	------

### Successful Elements

```
<form method="get" action="/index.php#rslt" id="listing_search_form" autocomplete="off" class="simple-form"> <input type="hidden" name="advanced" value="1" > <div class="row"> <div class...
```

---

30	Search forms should include a "role" tag that equals to "search" (or be wrapped by one) to indicate a search landmark for screen-readers.	No	0	0	-
----	---	----	---	---	---

---

31	The title tag of the HEAD section (also the title that appears in the browser tab and Search Engine result pages) should exist and describe the name of the current webpage for screen-reader users.	Yes	Pass	-	100%
----	--	-----	------	---	------

```
<title>Cameron Park CA Real Estate & Homes for Sale | The Lori Holzer Team</title>
```

32	The HTML tag should include a "lang" attribute that represents the main language of the webpage so screen-readers can calibrate on it for blind users.	Yes	Pass	-	100%
----	--	-----	------	---	------

#### Successful Elements

```
<html lang="en" style="height: 100%;"><head> <meta http-equiv="X-UA-Compatible" content="IE=edge"> <meta name="viewport" content="width=device-width, initial-scale=1.0, user-scalable=yes"> <meta name="description" content="Camer...
```

33	The meta viewport tag should allow vision impaired users to pinch-zoom at least double the standard scaling using the user-scalable="yes" and maximum-scale={2 or higher} content strings.	Yes	Pass	-	100%
----	--	-----	------	---	------

#### Successful Elements

```
<meta name="viewport" content="width=device-width, initial-scale=1.0, user-scalable=yes">
```

34	Landmarks such as main content and footer should be built using their corresponding HTML5 element or include a description using an "aria-label" attribute and a "role" tag that equals to "contentinfo" or "main". Landmarks such as search and navigation are tested in other sections.	Yes	1	2	33%
----	---	-----	---	---	-----

#### Failed Elements

```
<div class="col-xs-12"> <h1 class="m-b-0">Christiane Berry</h1> <p>Associate</p> </div>
```

```
<div id="footer" style="overflow: hidden" > <div class="footer-wrapper">
<div class="container"> <div class="footer-inner"> <div class="footer-to
p"> <div class="footer-top-left"> ...
```

---

35	Font sizes should be at least 11px in size in order to stay readable in the majority of font families. This should be verified also when using dynamic units such as REM or percents.	No	0	21	-
----	---	----	---	----	---

#### Failed Elements

```
<div class="listing-box-image-label" >Just Listed</div>
```

```
<button type="button" role="presentation" class="owl-prev disabled" ><i a
ria-label="previous" class="fa fa-chevron-left"></i></button>
```

```
<button type="button" role="presentation" class="owl-next" ><i aria-label
="next" class="fa fa-chevron-right"></i></button>
```

```
<div class="listing-box-image-label" >Open House</div>
```

---

36	Letter spacing should not be set to below -1px in order to stay readable in the majority of font families. This should be verified also when using dynamic units such as REM or percents.	Yes	Pass	-	100%
----	---	-----	------	---	------

---

37	Elements that have texts should meet a minimum contrast ratio of 4.5:1 between their foreground (usually text color) and background color.	Yes	304	15	95%
----	--	-----	-----	----	-----

#### Successful Elements

```
<strong>Login</strong>
```

```
<span class="hidden-sm-down">Contact</span>
```



```
<a href="/index.php?advanced=1&types%5B0%5D=1&types%5B1%5D=2&beds=0&baths=0&min=0&max=100000000&rtype=list" class="nav-link " > Search </a>
```

```
<a href="/seller/valuation/" class="nav-link " > Sell </a>
```

```
<a href="/agents.php" aria-label="Agents" class="nav-link" > Your Agent </a>
```

```
<a href="/resources.php" class="nav-link " > Resources </a>
```

```
<a href="/resources/el-dorado-hills" class="nav-link " > El Dorado Hills </a>
```

```
<h1 class="m-b-0">Christiane Berry</h1>
```

```
<p>Associate</p>
```

```
<h3 class="hero-tagline">Let's Find Your Dream Home</h3>
```

## Failed Elements

```
<h2>Meet Christiane</h2>
```

```
<p>Thank you for taking the time and stopping by! Meet Christiane Berry, a local real estate agent of RE/MAX Gold. I provide homebuyers and sellers with professional, responsive, and attentive real estate services in Cameron Park, CA, and the nearb...
```

```
<a href="/agents/1367494/Christiane+Berry" >Read More</a>
```

```
<h2>The right agent can lead the way.</h2>
```

```
<p>With the limited number of homes on the current U.S. market, you need an agent with the right connections, technology and strategies to achieve your home buying or selling vision. Whether you're feeling overwhelmed and want someone to take the whe...
```

```
<h2>What your Neighbors are Saying</h2>
```

```
<a style="color:#000000" class="btn-block m-b-1" href="/testimonials.php">View All</a>
```

```
<p style="color:#000000">Christiane is a kind, compassionate person who works really hard for you. During this frustrating real estate market, she was always there for me and I attribute the purchase of my new home to her and her efforts. I took a ...
```

```
<a style="color:#000000" class="btn-block m-b-1" href="/testimonials.php">Read Full Testimonial</a>
```

```
<span class="btn-block"><i class="fa fa-user m-r-1" ></i>Shelley McKelvey</span>
```

---

38	Carousels should include an "aria-label" attribute that equals to "carousel"/"slider" or something else that indicates the functionality, as well as be tagged as a landmark for screen-readers using a "role" tag that equals to "contentinfo".	No	0	0	-
39	Control elements such as next and previous icons should include an "aria-label" attribute or a screen-reader only text that explains the functionality to screen-readers.	Yes	2	4	20%

---

### Successful Elements

```
<a class="left carousel-control" href="#testimonials" role="button" data-slide="prev" > <span class="icon-prev" aria-hidden="true" ></span> <span class="sr-only" >Previous</span> ...
```

```
<a class="right carousel-control" href="#testimonials" role="button" data-slide="next" > <span class="icon-next" aria-hidden="true" ></span> <span class="sr-only" >Next</span> ...
```

```
<button type="button" role="presentation" class="owl-prev" ><i class="fa fa-chevron-left"></i></button>
```

```
<button type="button" role="presentation" class="owl-next" ><i class="fa fa-chevron-right"></i></button>
```

```
<button type="button" role="presentation" class="owl-prev disabled" ><i aria-label="previous" class="fa fa-chevron-left"></i></button>
```

```
<button type="button" role="presentation" class="owl-next" ><i aria-label="next" class="fa fa-chevron-right"></i></button>
```

---

40	A common accessibility mistake is to treat carousels as live regions using the "aria-live" attribute and the "polite" or the "assertive" values. Using this practice will cause screen-readers to cut and skip announcements.	No	0	0	-
----	---	----	---	---	---

---

41	Carousel pagination items (usually used as small dots at the bottom of the carousel) should indicate their functionality and slide number they control using an "aria-label" and a screen-reader only text.	No	0	2	-
----	---	----	---	---	---

### Failed Elements

```
<button role="button" class="owl-dot" ><span ></span></button>
```

```
<button role="button" class="owl-dot active" ><span ></span></button>
```

---

42	Tables that are being used as layout structures should include a "role" attribute that equals to "presentation" to indicate to screen-readers that it is not really a table.	No	0	0	-
----	--	----	---	---	---

---

43	If nested tables are used (a table element	No	0	0	-
----	--	----	---	---	---

44	Tables that are missing a THEAD row with TH elements, should include a "role" attribute that equals to "rowheader" on the TD elements of the TR that represents the visual table headings.	No	0	0	-
45	Visually deleted texts (often used to show a previous price of a sale) should include an "aria-label" attribute or a screen-reader only text that explains this is deleted text.	No	0	0	-
46	Breadcrumbs main element should include a "role" attribute that equals to "navigation" and an "aria-label" attribute that describes the functionality."	No	0	0	-
47	Ratings/scores that are represented visually using stars, meters or other indicators should either have an "aria-label" attribute or a screen-reader only texts conveying the score/rate.	No	0	0	-
48	Making use of an accessibility interface helps to ensure that vision impaired users can adjust some of the UI and the design (font-size, colors, spacing, etc.) to their needs. It is not a compliance requirement, but can help to improve compliance.	No	0	0	-
49	Iframe elements should include a "title" or an "aria-label" attribute explaining the purpose, the functionality or the destination of the iframe, or be tagged hidden for screen-readers if irrelevant.	Yes	Pass	-	100%

### Successful Elements

```
<iframe class="background_screen mute" id="background_video_tv" frameborder="0" allowfullscreen="1" allow="accelerometer; autoplay; clipboard-write; encrypted-media; gyroscope; picture-in-picture; web-share" title="Home Page Background Video" width="...
```