



WCAG 2.1 Level AA Success Criteria

# COMPLIANCE AUDIT

For [www.caloverheaddoor.com](http://www.caloverheaddoor.com) | Verdict: **Semi-compliant**

This audit evaluates the adherence level of **www.caloverheaddoor.com** as of Tue Sep 05 2023, to the "Web Content Accessibility Guidelines" (WCAG) 2.1 level AA success criteria.

Below you'll find the results for dozens of tests that focus mainly on 3 categories: **screen-reader** adjustments (for blind users), **keyboard navigation** adjustments (for the motor impaired) and **UI, design, and readability** adjustments (for the vision impaired).

#	Requirement	Relevant	Successes	Failures	Score
1	Elements that behave as buttons but are built using other tags such as span, div, a or others, should include a "role" attribute that equals to "button".	Yes	1	3	25%

### Successful Elements

```
<input type="submit" id="gform_submit_button_1" class="gform_button button btn" value="Submit" onclick="if(window['gf_submitting_1']){return false;} window['gf_submitting_1']=true; " onkeypress="if(event.keyCode == 13 ){ if(win...
```

### Failed Elements

```
<li href="#carousel-slider" data-target="#carousel-slider" data-slide-to="0" ></li>
```

```
<li href="#carousel-slider" data-target="#carousel-slider" data-slide-to="1" class="active" ></li>
```

```
<li href="#carousel-slider" data-target="#carousel-slider" data-slide-to="2" ></li>
```

2	Buttons should include text explaining their functionality, and if icons are used as buttons, a screen-reader only text or an "aria-label" attribute should be used for that description.	Yes	1	3	25%
---	---	-----	---	---	-----

### Successful Elements

```
<input type="submit" id="gform_submit_button_1" class="gform_button button btn" value="Submit" onclick="if(window['gf_submitting_1']){return false;} window['gf_submitting_1']=true; " onkeypress="if(event.keyCode == 13 ){ if(win...
```

### Failed Elements

```
<li href="#carousel-slider" data-target="#carousel-slider" data-slide-to="0" ></li>
```

```
<li href="#carousel-slider" data-target="#carousel-slider" data-slide-to="1" class="active" ></li>
```

```
<li href="#carousel-slider" data-target="#carousel-slider" data-slide-to="2" ></li>
```

- 3 [Links should include text that is setting expectations to what page they are leading to. If empty links are used as layout wrapping elements, a screen-reader only text or an "aria-label" attribute should be used for that description.](#)

Yes

24

2

92%

### Successful Elements

```
<a rel="noreferrer" title="Back To Home" href="https://www.caloverheaddoor.com/" ></a>
```

```
<a title="Call Us" alt="Call Us" rel="noreferrer" href="tel:+1-530-626-1100" > 530-626-1100 </a>
```

```
<a title="Call Us" alt="Call Us" rel="noreferrer" href="tel:+1-209-223-3200" > 209-223-3200 </a>
```

```
<a rel="noreferrer" target="_blank" title="Our Location" alt="Our Location Link" href="http://maps.google.com/maps?q=6524 Commerce Way, Unit A,+Diamond Springs,+CA 95619" > 6524 Commerce Way, Unit A • Diamond Springs, CA 95619 ... </a>
```

```
<a title="Home" href="https://www.caloverheaddoor.com/" >Home</a>
```

```
<a title="Residential Doors" href="https://www.caloverheaddoor.com/residential-doors/" >Residential Doors</a>
```

```
<a title="Commercial Doors" href="https://www.caloverheaddoor.com/commercial-doors/" >Commercial Doors</a>
```

```
<a title="Gates/Openers" href="https://www.caloverheaddoor.com/gates-openers/" >Gates/Openers</a>
```

```
<a title="Gallery" href="https://www.caloverheaddoor.com/gallery/" >Gallery</a>
```

```
<a title="Contact Us / Request a Quote" href="https://www.caloverheaddoor.com/contact-us-request-a-quote/" >Contact Us / Request a Quote</a>
```

## Failed Elements

```
<a rel="noreferrer" href="mailto:cal%6fve%72he%61d@calov%65rh%65addoo%72.c%6fm" title="Email Us" alt="Email Us" ><span class="fas fa-envelope" aria-hidden="true"></span></a>
```

```
<a rel="noreferrer" href="mailto:c%61love%72%68ead%40c%61%6c%6fverhea%64d%6f%6f%72.%63%6fm" title="Email Us" alt="Email Us" ><span class="fas fa-envelope" aria-hidden="true"></span></a>
```

---

4	<a href="#">Links that open in a new tab or a new window should either have an "aria-label" attribute or a screen-reader only element explaining to screen-readers that this opens in a new tab.</a>	No	0	3	-
---	--	----	---	---	---

## Failed Elements

```
<a rel="noreferrer" target="_blank" title="Our Location" alt="Our Location Link" href="http://maps.google.com/maps?q=6524 Commerce Way, Unit A,+Diamond Springs,+CA 95619" > 6524 Commerce Way, Unit A • Diamond Springs, CA 95619 ...
```

```
<a rel="noreferrer" target="_blank" title="Our Location" alt="Our Location Link" href="http://maps.google.com/maps?q=6524 Commerce Way, Unit A,+Diamond Springs,+CA 95619" > <span>6524 Commerce Way, Unit A</span> • <span>Diamond Sp...
```

```
<a rel="noreferrer" href="/" target="_blank" >© 2023 Copyright & Power By California Overhead Door</a>
```

5	An H1 title provides information to blind-users using screen-readers of what the main topic of the page is and each page should have exactly one H1 title.	Yes	Pass	-	100%
---	--	-----	------	---	------

### Successful Elements

```
<h1>Welcome to California Overhead Door</h1>
```

6	HTML title elements (H1-6) should have texts. If images or links are used, they should include an alternative or screen-reader only text.	Yes	3	0	100%
---	---	-----	---	---	------

7	Elements that visually appear as titles but are coded with a non-heading HTML Tag should include a "role" attribute that equals to "heading" or have their tags fixed.	No	0	2	-
---	--	----	---	---	---

### Failed Elements

```
<span class="logo-cap">Serving the Community Since 1996</span>
```

```
<span class="tagline"> Quality Products * Competitive Pricing * Professional Installation * Exceptional Service </span>
```

8	Title levels should not be skipped and should be built with consistent hierarchy. For example: you cannot have "h4" titles and "h2" titles without having "h3" titles.	Yes	Pass	-	100%
---	--	-----	------	---	------

9	Interactive elements such as links, buttons and form fields should all be navigable using the keyboard by either using a	No	0	3	-
---	--	----	---	---	---

including the element attribute that equals to "0".

## Failed Elements

```
<li href="#carousel-slider" data-target="#carousel-slider" data-slide-to="0" ></li>
```

```
<li href="#carousel-slider" data-target="#carousel-slider" data-slide-to="1" class="active" ></li>
```

```
<li href="#carousel-slider" data-target="#carousel-slider" data-slide-to="2" ></li>
```

10	Interactive elements that can be navigated using the keyboard should be surrounded by a visual outline whenever they are focused.	Yes	Pass	-	100%
11	Active popups should include an "aria-modal" attribute that equals to "true", and a "role" attribute that equals to "dialog", so screen-reader users know how to navigate within it.	No	0	0	-
12	Every page should include hidden links that by clicking on them (either using keyboard navigation or a screen-reader), the user will "skip" certain blocks directly to main landmarks such as main content, menu or footer.	No	Fail	-	-
13	Elements that are hidden using CSS manipulations (opacity, height, text-indent, off-canvas, etc.) should be wrapped inside an element with an "aria-hidden" attribute that equals to "false", or include it directly, and have it dynamically changed to "true" when they become visible.	No	0	0	-

manipulations (opacity, height, text-indent, off-canvas, etc.) should include a

"tabindex" attribute that is below 0, and have it dynamically changed to 0 when they become visible.

---

15	Menus should either be built using the HTML5 "nav" element or include a "role" attribute that equals to "menu" or "navigation" to indicate a navigation landmark for screen-readers.	Yes	1	1	50%
----	--	-----	---	---	-----

### Successful Elements

```
<nav ><div id="nav" class="nav" ><div class="mobile-nav" ><div class="menu-mobile-menu-container" ><ul class="mobile-list" ><li id="menu-item-304" class="menu-item menu-item-type-post_type menu-item-object-page menu-item-304" ><a title="Residential D...
```

### Failed Elements

```
<ul class="list-inline" ><li id="menu-item-86" class="menu-item menu-item-type-post_type menu-item-object-page menu-item-home current-menu-item page_item page-item-72 current_page_item menu-item-86"><a href="https://www.caloverheaddoor.com/" aria-cur...
```

---

16	Menu items that have a dropdown menu include an "aria-haspopup" attribute that equals to "true".	No	0	0	-
----	--	----	---	---	---

---

17	Menu items that have a dropdown menu include an "aria-expanded" attribute that equals to "false" that changes to "true" and back when opening or closing the dropdown.	No	0	0	-
----	--	----	---	---	---

---

18	Images should have an alternative text description that describes both the objects and the embedded text that the image contains, using the "alt" attribute.	Yes	6	0	100%
----	--	-----	---	---	------

```

```

```

```

```

```

```

```

```

```

```

```

---

19	Background images that are not just for decoration purposes and should have the same treatment as standard images and include a "role" attribute that equals to "img" and an alternative text description in an "aria-label" attribute.	No	0	0	-
20	Font icons, SVG or images that are being used as spacers, decorations or their purpose is already described by the content should include a "role" attribute that equals to "presentation" or "none".	Yes	10	0	100%

---



```
<span class="fa fa-phone-square" aria-hidden="true"></span>
```

```
<span class="fas fa-envelope" aria-hidden="true"></span>
```

```
<span class="fas fa-home" aria-hidden="true" ></span>
```

```
<span class="fas fa-map-marker-alt" aria-hidden="true" ></span>
```

```
<span class="fas fa-phone" aria-hidden="true" ></span>
```

```
<span class="fas fa-envelope" aria-hidden="true" ></span>
```

```
<span class="fas fa-angle-down" aria-hidden="true" ></span>
```

21	Figure elements that are used to display images should have a "role" attribute that equals to "none" and the image provide itself should provide the description using an "alt" attribute.	No	0	0	-
22	Every "area" element of a "map" tag should be regarded as a standard image and receive an alternative text description using an "alt" attribute.	No	0	0	-
23	Small or hidden tracker pixel images (often used for analytics or marketing purposes) should include a "role" attribute that equals to "none" or "presentation" so they are excluded from screen-readers.	No	0	0	-
24	Form fields should either include an "aria-label" attribute or a connected LABEL element describing the requirement of the field (email, phone, name, etc.).	Yes	4	0	100%

```
<input name="input_1" id="input_1_1" type="text" value="" class="large" placeholder="Name" aria-invalid="false">
```

```
<input name="input_2" id="input_1_2" type="text" value="" class="large" placeholder="Phone" aria-invalid="false">
```

```
<input name="input_3" id="input_1_3" type="text" value="" class="large" placeholder="Email" aria-invalid="false">
```

```
<textarea name="input_4" id="input_1_4" class="textarea large" placeholder="Message" aria-invalid="false" rows="10" cols="50"></textarea>
```

---

25	Form elements cannot have the same ID, or else their corresponding label will provide false information.	No	0	0	-
----	--	----	---	---	---

---

26	Required form fields should include an "aria-required" attribute that equals to "true" so blind users using screen-readers know their validation.	No	0	3	-
----	---	----	---	---	---

### Failed Elements

```
<input name="input_1" id="input_1_1" type="text" value="" class="large" placeholder="Name" aria-invalid="false">
```

```
<input name="input_2" id="input_1_2" type="text" value="" class="large" placeholder="Phone" aria-invalid="false">
```

```
<input name="input_3" id="input_1_3" type="text" value="" class="large" placeholder="Email" aria-invalid="false">
```

---

27	The validity status of every form element must be represented in the code at all times using the "aria-invalid" attributes and the "true/false" values, and change dynamically when the status changes.	No	0	0	-
----	---	----	---	---	---

28	aria-describedby and aria-labeledby	No	0	0	-
	attributes should be connected by ID to an element that either has text description or an "aria-label" attribute.				

29	All forms should have a submission button that is built as an input type "submit" or a "button" element, or include a "role" tag that equals to "button". Buttons can be hidden if the form can be submitted using the Enter key.	Yes	Pass	-	100%
----	---	-----	------	---	------

**Successful Elements**

```
<form method="post" enctype="multipart/form-data" id="gform_1" action = "/"><div class="gform_body gform-body"><ul id="gform_fields_1" class="gform_fields top_label form_sublabel_below description_below"><div class="col-sm-6"><li id="field_1_1" class="...
```

30	Search forms should include a "role" tag that equals to "search" (or be wrapped by one) to indicate a search landmark for screen-readers.	No	0	0	-
----	---	----	---	---	---

31	The title tag of the HEAD section (also the title that appears in the browser tab and Search Engine result pages) should exist and describe the name of the current webpage for screen-reader users.	Yes	Pass	-	100%
----	--	-----	------	---	------

**Successful Elements**

```
<title>Home | California Overhead Door | Garage Door | California Overhead Door</title>
```

32	The HTML tag should include a "lang" attribute that represents the main language of the webpage so screen-readers can calibrate on it for blind users.	Yes	Pass	-	100%
----	--	-----	------	---	------



36	Letter spacing should not be set to below -1px in order to stay readable in the majority of font families. This should be verified also when using dynamic units such as REM or percents.	Yes	Pass	-	100%
----	---	-----	------	---	------

37	Elements that have texts should meet a minimum contrast ratio of 4.5:1 between their foreground (usually text color) and background color.	Yes	31	6	78%
----	--	-----	----	---	-----

### Successful Elements

```
<span class="logo-cap">Serving the Community Since 1996</span>
```

```
<span class="tagline"> Quality Products * Competitive Pricing * Professional Installation * Exceptional Service </span>
```

```
<a title="Call Us" alt="Call Us" rel="nofollow" href="tel:+1-530-626-1100" > 530-626-1100 </a>
```

```
<a title="Call Us" alt="Call Us" rel="nofollow" href="tel:+1-209-223-3200" > 209-223-3200 </a>
```

```
<a rel="nofollow" target="_blank" title="Our Location" alt="Our Location Link" href="http://maps.google.com/maps?q=6524 Commerce Way, Unit A,+Diamond Springs,+CA 95619" > 6524 Commerce Way, Unit A • Diamond Springs, CA 95619 ...
```

```
<a title="Home" href="https://www.caloverheaddoor.com/" >Home</a>
```

```
<a title="Residential Doors" href="https://www.caloverheaddoor.com/residential-doors/" >Residential Doors</a>
```

```
<a title="Commercial Doors" href="https://www.caloverheaddoor.com/commercial-doors/" >Commercial Doors</a>
```

```
<a title="Gates/Openers" href="https://www.caloverheaddoor.com/gates-openers/" >Gates/Openers</a>
```

```
<a title="Gallery" href="https://www.caloverheaddoor.com/gallery/" >Gallery</a>
```

## Failed Elements

```
<h1>Welcome to California Overhead Door</h1>
```

```
<p>Looking for an El Dorado County garage door company? We are the only locally owned and operated garage door company in El Dorado County with a showroom. We do everything from residential and commercial garage door and opener installations and repa...
```

```
<p>Proudly serving: El Dorado, Amador, Calaveras, Sacramento, South Lake Tahoe and Surrounding Areas.</p>
```

```
<h2 style="font-size: 34px;">Design Your Garage Door</h2>
```

```
<p>What would a new garage door look like on your home? Use the Amarr Door Builder tool and see for yourself!</p>
```

```
<span class="spacer">|</span>
```

38	Carousels should include an "aria-label" attribute that equals to "carousel"/"slider" or something else that indicates the functionality, as well as be tagged as a landmark for screen-readers using a "role" tag that equals to "contentinfo".	No	0	0	-
39	Control elements such as next and previous icons should include an "aria-label" attribute or a screen-reader only text that explains the functionality to screen-readers.	No	0	0	-
40	A common accessibility mistake is to treat carousels as live regions using the "aria-live" attribute and the "polite" or the	No	0	0	-

announcements.

---

41	Carousel pagination items (usually used as small dots at the bottom of the carousel) should indicate their functionality and slide number they control using an "aria-label" and a screen-reader only text.	No	0	3	-
----	---	----	---	---	---

### Failed Elements

```
<li href="#carousel-slider" data-target="#carousel-slider" data-slide-to="0" ></li>
```

```
<li href="#carousel-slider" data-target="#carousel-slider" data-slide-to="1" class="active" ></li>
```

```
<li href="#carousel-slider" data-target="#carousel-slider" data-slide-to="2" ></li>
```

---

42	Tables that are being used as layout structures should include a "role" attribute that equals to "presentation" to indicate to screen-readers that it is not really a table.	No	0	0	-
----	--	----	---	---	---

---

43	If nested tables are used (a table element within a table cell), set the nested tables "role" attribute to "presentation".	No	0	0	-
----	--	----	---	---	---

---

44	Tables that are missing a THEAD row with TH elements, should include a "role" attribute that equals to "rowheader" on the TD elements of the TR that represents the visual table headings.	No	0	0	-
----	--	----	---	---	---

---

45	Visually deleted texts (often used to show a previous price of a sale) should include an "aria-label" attribute or a screen-reader only text that explains this is deleted text.	No	0	0	-
----	--	----	---	---	---

46	Breadcrumbs main element should include a "role" attribute that equals to "navigation" and an "aria-label" attribute that describes the functionality."	No	0	0	-
47	Ratings/scores that are represented visually using stars, meters or other indicators should either have an "aria-label" attribute or a screen-reader only texts conveying the score/rate.	No	0	0	-
48	Making use of an accessibility interface helps to ensure that vision impaired users can adjust some of the UI and the design (font-size, colors, spacing, etc.) to their needs. It is not a compliance requirement, but can help to improve compliance.	No	0	0	-
49	Iframe elements should include a "title" or an "aria-label" attribute explaining the purpose, the functionality or the destination of the iframe, or be tagged hidden for screen-readers if irrelevant.	Yes	2	1	67%

### Successful Elements

```
<iframe title="reCAPTCHA" src="https://www.google.com/recaptcha/api2/anchor?ar=1&k=6LfCbMscAAAAAIgIvxEEuKwLTmLKaiW5pkx9udBI&co=aHR0cHM6Ly93d3cuY2Fsb3ZlcmhlYWVkb29yLmNvbTo0NDM.&hl=en&v=0hCdE87LyjzAkF05Ff-v7Hj1&theme=light&size=...
```

```
<iframe title="recaptcha challenge expires in two minutes" src="https://www.google.com/recaptcha/api2/bframe?hl=en&v=0hCdE87LyjzAkF05Ff-v7Hj1&k=6LfCbMscAAAAAIgIvxEEuKwLTmLKaiW5pkx9udBI" name="c-6zvzx881efp" frameborder="0" scrolling="no" sand...
```

### Failed Elements

```
<iframe id="DoorDesignerIFrame" src="https://myonsite.amarr.com/AmarrDoorDesignerCaliforniaOverheadDoor.html" frameborder="0"></iframe>
```