



WCAG 2.1 Level AA Success Criteria

COMPLIANCE AUDIT

For www.transformationalwellness2692.com | Verdict: **Semi-compliant**

This audit evaluates the adherence level of www.transformationalwellness2692.com as of Thu Sep 14 2023, to the "Web Content Accessibility Guidelines" (WCAG) 2.1 level AA success criteria.

Below you'll find the results for dozens of tests that focus mainly on 3 categories: **screen-reader** adjustments (for blind users), **keyboard navigation** adjustments (for the motor impaired) and **UI, design, and readability** adjustments (for the vision impaired).

| # | Requirement | Relevant | Successes | Failures | Score |
|---|-----------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 1 | Elements that behave as buttons but are built using other tags such as span, div, a or others, should include a "role" attribute that equals to "button". | Yes | Pass | - | 100% |

Successful Elements

```
<button class=" newsletter-form-button sqs-system-button sqs-editable-button-layout sqs-editable-button-style sqs-editable-button-shape sqs-button-element--primary " ty...
```

| | | | | | |
|---|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|------|---|------|
| 2 | Buttons should include text explaining their functionality, and if icons are used as buttons, a screen-reader only text or an "aria-label" attribute should be used for that description. | Yes | Pass | - | 100% |
|---|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|------|---|------|

Successful Elements

```
<button class=" newsletter-form-button sqs-system-button sqs-editable-button-layout sqs-editable-button-style sqs-editable-button-shape sqs-button-element--primary " ty...
```

| | | | | | |
|---|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----|---|------|
| 3 | Links should include text that is setting expectations to what page they are leading to. If empty links are used as layout wrapping elements, a screen-reader only text or an "aria-label" attribute should be used for that description. | Yes | 14 | 0 | 100% |
|---|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----|---|------|

Successful Elements

```
<a href="/" data-animation-role="header-element" > <picture><source media="only screen and (pointer: coarse) and (max-width: 1024px), screen and (max-width: 799px)" srcset="//images.squarespace-cdn.com/content/v1/5e34b3663c0fb26...
```

```
<a href="/about-us" data-animation-role="header-element" > About Us </a>
```

```
<a href="/services" data-animation-role="header-element" > Services </a>
```

```
<a href="/meet-our-leaders" data-animation-role="header-element" > Meet Our Leaders </a>
```

```
<a href="/meet-our-practitioners" data-animation-role="header-element" > Meet Our Practitioners </a>
```

```
<a href="/bodywork" data-animation-role="header-element" > Therapeutic Bodywork </a>
```

```
<a href="/energy-work" data-animation-role="header-element" > Energy Work </a>
```

```
<a href="/womens-healing-circle" data-animation-role="header-element" > Women's Healing Circle </a>
```

```
<a href="http://s.thegiftcardcafe.com/Ns3VmE" data-animation-role="header-element" > Gift Certificates </a>
```

```
<a href="/store" data-animation-role="header-element" > Store </a>
```

| | | | | | |
|---|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|---|---|------|
| 4 | Links that open in a new tab or a new window should either have an "aria-label" attribute or a screen-reader only element explaining to screen-readers that this opens in a new tab. | Yes | 2 | 0 | 100% |
|---|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|---|---|------|

Successful Elements

```
<a class="icon icon--fill header-icon header-icon-border-shape-none header-icon-border-style-outline" href="https://www.instagram.com/your.transformational.wellness/" target="_blank" aria-label="Instagram" > <svg viewBox="23 ...
```

```
<a class="icon icon--fill header-icon header-icon-border-shape-none header-icon-border-style-outline" href="https://www.facebook.com/p/Transformational-Wellness-100064074877678/" target="_blank" aria-label="Facebook" > <SVG V...
```

| | | | | | |
|---|------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|------|---|------|
| 5 | An H1 title provides information to blind-users using screen-readers of what the main topic of the page is and each page should have exactly one H1 title. | No | 0 | 0 | - |
| 6 | HTML title elements (H1-6) should have texts. If images or links are used, they should include an alternative or screen-reader only text. | Yes | 13 | 0 | 100% |
| 7 | Elements that visually appear as titles but are coded with a non-heading HTML Tag should include a "role" attribute that equals to "heading" or have their tags fixed. | No | 0 | 0 | - |
| 8 | Title levels should not be skipped and should be built with consistent hierarchy. For example: you cannot have "h4" titles and "h2" titles without having "h3" titles. | No | Fail | - | - |

Failed Elements

```
<h1></h1>
```

| | | | | | |
|----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|------|---|------|
| 9 | Interactive elements such as links, buttons and form fields should all be navigable using the keyboard by either using a focusable element (a, button, input, etc.) or including the "tabindex" attribute that equals to "0". | Yes | Pass | - | 100% |
| 10 | Interactive elements that can be navigated using the keyboard should be surrounded by a visual outline whenever they are focused. | Yes | Pass | - | 100% |
| 11 | Active popups should include an "aria- | No | 0 | 0 | - |

screen-reader users know how to navigate within it.

12 Every page should include hidden links that by clicking on them (either using keyboard navigation or a screen-reader), the user will "skip" certain blocks directly to main landmarks such as main content, menu or footer.

Yes

Pass

-

100%

Successful Elements

```
<a href="#page" tabindex="1" class="header-skip-link sqs-button-element--primary" > Skip to Content </a>
```

13 Elements that are hidden using CSS manipulations (opacity, height, text-indent, off-canvas, etc.) should be wrapped inside an element with an "aria-hidden" attribute that equals to "false", or include it directly, and have it dynamically changed to "true" when they become visible.

No

0

0

-

14 Elements that are hidden using CSS manipulations (opacity, height, text-indent, off-canvas, etc.) should include a "tabindex" attribute that is below 0, and have it dynamically changed to 0 when they become visible.

No

0

0

-

15 Menus should either be built using the HTML5 "nav" element or include a "role" attribute that equals to "menu" or "navigation" to indicate a navigation landmark for screen-readers.

No

0

0

-

16 Menu items that have a dropdown menu include an "aria-haspopup" attribute that equals to "true".

No

0

0

-

equals to "false" that changes to "true" and

back when opening or closing the dropdown.

| | | | | | |
|----|--------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|---|---|-----|
| 18 | Images should have an alternative text description that describes both the objects and the embedded text that the image contains, using the "alt" attribute. | Yes | 1 | 2 | 33% |
|----|--------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|---|---|-----|

Successful Elements

```
 <g class="svg-icon cart-icon--odd" > <circle fill="none" stroke-miterlimit="10" cx="22.5" cy="21.5" r="1" ></circle> <circle fill="none" stroke-miterlimit="10" cx="9.5" cy="21.5" r="1" ></c...
```

```
<svg viewBox="23 23 64 64" > <use xlink:href="#instagram-unauth-icon" width="110" height="110" ></use> </svg>
```

```
<svg viewBox="23 23 64 64" > <use xlink:href="#facebook-unauth-icon" width="110" height="110" ></use> </svg>
```

```
<svg viewBox="23 23 64 64" > <use xlink:href="#instagram-unauth-icon" width="110" height="110" ></use> </svg>
```

```
<svg viewBox="23 23 64 64" > <use xlink:href="#facebook-unauth-icon" width="110" height="110" ></use> </svg>
```

Failed Elements

```
<svg class="section-divider-svg-clip" > <clipPath id="section-divider-5e34b5fda96d977ad26200f8" clipPathUnits="objectBoundingBox" > <path class="section-divider-clip" d="M-1.0044999999999997, 0.91 L-1.0044999999999997, 0.955 c0.25075,-0.057...
```

```
<svg class="section-divider-svg-stroke" viewBox="0 0 1 1" preserveAspectRatio="none" > <path class="section-divider-stroke" d="M-100,0.5 L-100,1.5 M-1.0044999999999997, 0.91 L-1.0044999999999997, 0.955 c0.25075,-0.0576 0.25075,-0.0576 0.5015,0 s0...
```

```
<span class="newsletter-form-spinner sqs-spin light large" ></span>
```

```
<span class="newsletter-form-button-icon" ></span>
```

```
<svg xmlns="http://www.w3.org/2000/svg" version="1.1" style="display:none" data-usage="social-icons-svg" ><symbol id="instagram-unauth-icon" viewBox="0 0 64 64" ><path d="M46.91,25.816c-0.073-1.597-0.326-2.687-0.697-3.641c-0.383-0.986-0.896-1.823-1.7...
```

equals to "none" and the image provide

itself should provide the description using an "alt" attribute.

| | | | | | |
|----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|---|---|-----|
| 22 | Every "area" element of a "map" tag should be regarded as a standard image and receive an alternative text description using an "alt" attribute. | No | 0 | 0 | - |
| 23 | Small or hidden tracker pixel images (often used for analytics or marketing purposes) should include a "role" attribute that equals to "none" or "presentation" so they are excluded from screen-readers. | No | 0 | 0 | - |
| 24 | Form fields should either include an "aria-label" attribute or a connected LABEL element describing the requirement of the field (email, phone, name, etc.). | Yes | 1 | 2 | 33% |

Successful Elements

```
<input id="email-yui_3_17_2_1_1552579698432_3881-field" class="newsletter-form-field-element field-element" name="email" x-autocompletetype="email" autocomplete="email" type="email" spellcheck="false" placeholder="Email Address">
```

Failed Elements

```
<input class="newsletter-form-field-element field-element field-control" name="fname" x-autocompletetype="given-name" type="text" spellcheck="false" placeholder="First Name" maxlength="30" data-title="First">
```

```
<input class="newsletter-form-field-element field-element field-control" name="lname" x-autocompletetype="surname" type="text" spellcheck="false" placeholder="Last Name" maxlength="30" data-title="Last">
```

| | | | | | |
|----|-------------------------------------------------------------------------------|----|---|---|---|
| 25 | Form elements cannot have the same ID, or else their corresponding label will | No | 0 | 0 | - |
|----|-------------------------------------------------------------------------------|----|---|---|---|

| | | | | | |
|----|---------------------------------------------------------------------------------------------------------------------------------------------------|----|---|---|---|
| 26 | Required form fields should include an "aria-required" attribute that equals to "true" so blind users using screen-readers know their validation. | No | 0 | 3 | - |
|----|---------------------------------------------------------------------------------------------------------------------------------------------------|----|---|---|---|

Failed Elements

```
<input class="newsletter-form-field-element field-element field-control" name="fname" x-autocompletetype="given-name" type="text" spellcheck="false" placeholder="First Name" maxlength="30" data-title="First">
```

```
<input class="newsletter-form-field-element field-element field-control" name="lname" x-autocompletetype="surname" type="text" spellcheck="false" placeholder="Last Name" maxlength="30" data-title="Last">
```

```
<input id="email-yui_3_17_2_1_1552579698432_3881-field" class="newsletter-form-field-element field-element" name="email" x-autocompletetype="email" autocomplete="email" type="email" spellcheck="false" placeholder="Email Address">
```

| | | | | | |
|----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|---|---|---|
| 27 | The validity status of every form element must be represented in the code at all times using the "aria-invalid" attributes and the "true/false" values, and change dynamically when the status changes. | No | 0 | 0 | - |
|----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|---|---|---|

| | | | | | |
|----|-------------------------------------------------------------------------------------------------------------------------------------------------------|----|---|---|---|
| 28 | aria-describedby and aria-labeledby attributes should be connected by ID to an element that either has text description or an "aria-label" attribute. | No | 0 | 0 | - |
|----|-------------------------------------------------------------------------------------------------------------------------------------------------------|----|---|---|---|

| | | | | | |
|----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|------|---|------|
| 29 | All forms should have a submission button that is built as an input type "submit" or a "button" element, or include a "role" tag that equals to "button". Buttons can be hidden if the form can be submitted using the Enter key. | Yes | Pass | - | 100% |
|----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|------|---|------|

Successful Elements

```
<form class="newsletter-form" data-form-id="5e34b5fda96d977ad26200ee" autocomplete="on" method="POST" novalidate="" onsubmit="return (function (form) { Y.use('squarespace-form-submit', 'node', function usingFormSubmit (Y) { (new Y.Squarespac...
```

| | | | | | |
|----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|------|---|------|
| 30 | Search forms should include a "role" tag that equals to "search" (or be wrapped by one) to indicate a search landmark for screen-readers. | No | 0 | 0 | - |
| 31 | The title tag of the HEAD section (also the title that appears in the browser tab and Search Engine result pages) should exist and describe the name of the current webpage for screen-reader users. | Yes | Pass | - | 100% |

Successful Elements

```
<title>Transformational Wellness | Placerville</title>
```

| | | | | | |
|----|--------------------------------------------------------------------------------------------------------------------------------------------------------|-----|------|---|------|
| 32 | The HTML tag should include a "lang" attribute that represents the main language of the webpage so screen-readers can calibrate on it for blind users. | Yes | Pass | - | 100% |
|----|--------------------------------------------------------------------------------------------------------------------------------------------------------|-----|------|---|------|

Successful Elements

```
<html xmlns:og="http://opengraphprotocol.org/schema/" xmlns:fb="http://www.facebook.com/2008/fbml" lang="en-US" class="yui3-js-enabled js-focus-visible js flexbox canvas canvastext webgl no-touch hashchange history drag anddrop rgba hsla multiplebgs b...
```

| | | | | | |
|----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|------|---|------|
| 33 | The meta viewport tag should allow vision impaired users to pinch-zoom at least double the standard scaling using the user-scalable="yes" and maximum-scale={2 or higher} content strings. | Yes | Pass | - | 100% |
|----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|------|---|------|

Successful Elements

```
<meta name="viewport" content="width=device-width, initial-scale=1">
```

| | | | | | |
|----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|------|---|------|
| 34 | Landmarks such as main content and footer should be built using their corresponding HTML5 element or include a description using an "aria-label" attribute and a "role" tag that equals to "contentinfo" or "main". Landmarks such as search and navigation are tested in other sections. | Yes | Pass | - | 100% |
|----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|------|---|------|

Successful Elements

```
<main id="page" class="container" role="main"> <article class="sections" id="sections" data-page-sections="5e34b5fda96d977ad26200ef"> <section data-test="page-section" data-section-theme="black" class="page-...
```

| | | | | | |
|----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|---|---|---|
| 35 | Font sizes should be at least 11px in size in order to stay readable in the majority of font families. This should be verified also when using dynamic units such as REM or percents. | No | 0 | 4 | - |
|----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|---|---|---|

Failed Elements

```
<div class="header-title-logo"> <a href="/" data-animation-role="header-element" > <picture><source media="only screen and (pointer: coarse) and (max-width: 1024px), screen and (max-width: 799px)" srcset="...
```

```
<a href="/" data-animation-role="header-element" > <picture><source media="only screen and (pointer: coarse) and (max-width: 1024px), screen and (max-width: 799px)" srcset="//images.squarespace-cdn.com/content/v1/5e34b3663c0fb26d482b9158/339bbb5b-508d-4e0f-8481-989f15278c9e/long_logo_image_left.png?f...
```

```
<picture><source media="only screen and (pointer: coarse) and (max-width: 1024px), screen and (max-width: 799px)" srcset="//images.squarespace-cdn.com/content/v1/5e34b3663c0fb26d482b9158/339bbb5b-508d-4e0f-8481-989f15278c9e/long_logo_image_left.png?f...
```

```
 About Us </a>
```

```
<a href="/services" data-animation-role="header-element" > Services </a>
```

```
<a href="/meet-our-leaders" data-animation-role="header-element" > Meet Our Leaders </a>
```

```
<a href="/meet-our-practitioners" data-animation-role="header-element" > Meet Our Practitioners </a>
```

```
<a href="/bodywork" data-animation-role="header-element" > Therapeutic Bodywork </a>
```

```
<a href="/energy-work" data-animation-role="header-element" > Energy Work </a>
```

```
<a href="/womens-healing-circle" data-animation-role="header-element" > Women's Healing Circle </a>
```

```
<a href="http://s.thegiftcardcafe.com/Ns3VmE" data-animation-role="header-element" > Gift Certificates </a>
```

```
<a href="/store" data-animation-role="header-element" > Store </a>
```

```
<a href="/organicbodycareproducts" data-animation-role="header-element "
Organic Bodycare Products </a>
```

Failed Elements

```
<span class="newsletter-form-button-label">Sign Up</span>
```

| | | | | | |
|----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|---|---|---|
| 38 | Carousels should include an "aria-label" attribute that equals to "carousel"/"slider" or something else that indicates the functionality, as well as be tagged as a landmark for screen-readers using a "role" tag that equals to "contentinfo". | No | 0 | 0 | - |
| 39 | Control elements such as next and previous icons should include an "aria-label" attribute or a screen-reader only text that explains the functionality to screen-readers. | No | 0 | 0 | - |
| 40 | A common accessibility mistake is to treat carousels as live regions using the "aria-live" attribute and the "polite" or the "assertive values. Using this practice will cause screen-readers to cut and skip announcements. | No | 0 | 0 | - |
| 41 | Carousel pagination items (usually used as small dots at the bottom of the carousel) should indicate their functionality and slide number they control using an "aria-label" and a screen-reader only text. | No | 0 | 0 | - |
| 42 | Tables that are being used as layout structures should include a "role" attribute that equals to "presentation" to indicate to screen-readers that it is not really a table. | No | 0 | 0 | - |

"role" attribute to "presentation".

| | | | | | |
|----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|---|---|---|
| 44 | Tables that are missing a THEAD row with TH elements, should include a "role" attribute that equals to "rowheader" on the TD elements of the TR that represents the visual table headings. | No | 0 | 0 | - |
| 45 | Visually deleted texts (often used to show a previous price of a sale) should include an "aria-label" attribute or a screen-reader only text that explains this is deleted text. | No | 0 | 0 | - |
| 46 | Breadcrumbs main element should include a "role" attribute that equals to "navigation" and an "aria-label" attribute that describes the functionality." | No | 0 | 0 | - |
| 47 | Ratings/scores that are represented visually using stars, meters or other indicators should either have an "aria-label" attribute or a screen-reader only texts conveying the score/rate. | No | 0 | 0 | - |
| 48 | Making use of an accessibility interface helps to ensure that vision impaired users can adjust some of the UI and the design (font-size, colors, spacing, etc.) to their needs. It is not a compliance requirement, but can help to improve compliance. | No | 0 | 0 | - |
| 49 | Iframe elements should include a "title" or an "aria-label" attribute explaining the purpose, the functionality or the destination of the iframe, or be tagged hidden for screen-readers if irrelevant. | No | 0 | 0 | - |