



Scan results for **storagevilleusa.com**

! Semi-compliant

Your efforts are noticeable, yet further action is required to meet the Web Content Accessibility Guidelines (WCAG)




It seems like your website isn't inclusive or accessible to people with disabilities. **Let's change that!**


62

We found 62 issues on your page


Issue severity



Issues detected by category



Detected issues by type



#	Element	Relevant	Successes	Failures	Score
1	Elements that behave as buttons but are built using other tags such as span, div, a or others, should include a "role" attribute that equals to "button".	Yes	25	1	96%

Successful Elements

```
<button type="submit" name="wpforms[submit]" id="wpforms-submit-123" class="wpforms-submit" data-alt-text="Sending..." data-submit-text="Send Message" aria-live="assertive" value="wpforms-submit" >Send Message</button>
```

```
<div class="elementor-swiper-button elementor-swiper-button-prev" role="button" tabindex="0" aria-label="Previous slide" > <i aria-hidden="true" class="eicon-chevron-left"></i> </div>
```

```
<div class="elementor-swiper-button elementor-swiper-button-next" role="button" tabindex="0" aria-label="Next slide" > <i aria-hidden="true" class="eicon-chevron-right"></i> </div>
```

```
<span class="swiper-pagination-bullet" data-bullet-index="0" aria-label="Go to slide 1" role="button" ></span>
```

```
<span class="swiper-pagination-bullet swiper-pagination-bullet-active" data-bullet-index="1" aria-label="Go to slide 2" tabindex="0" role="button" ></span>
```

```
<span class="swiper-pagination-bullet" data-bullet-index="2" aria-label="Go to slide 3" role="button" ></span>
```

```
<span class="swiper-pagination-bullet" data-bullet-index="3" aria-label="Go to slide 4" role="button" ></span>
```

```
<span class="swiper-pagination-bullet" data-bullet-index="4" aria-label="Go to slide 5" role="button" ></span>
```

```
<span class="swiper-pagination-bullet" data-bullet-index="5" aria-label="Go to slide 6" role="button" ></span>
```

Failed Elements

```
<a class="elementor-button elementor-button-link elementor-size-lg" href="#" > <span class="elementor-button-content-wrapper"> <span class="elementor-button-text">530-622-9999</span> </span> </a>
```

2 Buttons should include text explaining their functionality, and if icons are used as buttons, a screen-reader only text or an "aria-label" attribute should be used for that description.

Yes

26

0

100%

Successful Elements

```
<a class="elementor-button elementor-button-link elementor-size-lg" href="#" > <span class="elementor-button-content-wrapper"> <span class="elementor-button-text">530-622-9999</span> </span> </a>
```

```
<button type="submit" name="wpforms[submit]" id="wpforms-submit-123" class="wpforms-submit" data-alt-text="Sending..." data-submit-text="Send Message" aria-live="assertive" value="wpforms-submit" >Send Message</button>
```

```
<div class="elementor-swiper-button elementor-swiper-button-prev" role="button" tabindex="0" aria-label="Previous slide" > <i aria-hidden="true" class="eicon-chevron-left"></i> </div>
```

```
<div class="elementor-swiper-button elementor-swiper-button-next" role="button" tabindex="0" aria-label="Next slide" > <i aria-hidden="true" class="eicon-chevron-right"></i> </div>
```

```
<span class="swiper-pagination-bullet" data-bullet-index="0" aria-label="Go to slide 1" role="button" ></span>
```

```
<span class="swiper-pagination-bullet swiper-pagination-bullet-active" data-bullet-index="1" aria-label="Go to slide 2" tabindex="0" role="button" ></span>
```

```
<span class="swiper-pagination-bullet" data-bullet-index="2" aria-label="Go to slide 3" role="button" ></span>
```

```
<span class="swiper-pagination-bullet" data-bullet-index="3" aria-label="Go to slide 4" role="button" ></span>
```

```
<span class="swiper-pagination-bullet" data-bullet-index="4" aria-label="Go to slide 5" role="button" ></span>
```

```
<span class="swiper-pagination-bullet" data-bullet-index="5" aria-label="Go to slide 6" role="button" ></span>
```

3 Links should include text that is setting expectations to what page they are leading to. If empty links are used as layout wrapping elements, a screen-reader only text or an "aria-label" attribute should be used for that description.

Yes

14

0

100%

Successful Elements

```
<a href="https://storagevilleusa.com/" class="custom-logo-link" rel="home" aria-current="page" >Home</a>
```

```
<a href="https://storagevilleusa.com/pricing/" class="menu-link" >Pricing</a>
```

```
<a href="https://storagevilleusa.com/our-features/" class="menu-link" >Our Features</a>
```

```
<a href="https://storagevilleusa.com/contact/" class="menu-link" >Contact</a>
```

```
<a href="https://storagevilleusa.com/about-us/" class="menu-link" >About Us</a>
```

```
<a href="https://storagevilleusa.com/faq/" class="menu-link" >FAQ</a>
```

```
<a href="https://storagevilleusa.com/blog/" class="menu-link" >Blog</a>
```

```
<a class="elementor-icon elementor-social-icon elementor-social-icon-facebook elementor-repeater-item-9da4fde" href="https://www.facebook.com/storagevilleusa" target="_blank" > <span class="elementor-screen-only">Facebook</span> <i class=...
```

```
<a class="elementor-icon elementor-social-icon elementor-social-icon-instagram elementor-repeater-item-4340a2a" href="https://www.instagram.com/storageville.usa/" target="_blank" > <span class="elementor-screen-only">Instagram</span> <i c...
```

4 Links that open in a new tab or a new window should either have an "aria-label" attribute or a screen-reader only element explaining to screen-readers that this opens in a new tab.

Yes

6

0

100%

Successful Elements

```
<a class="elementor-icon elementor-social-icon elementor-social-icon-facebook elementor-repeater-item-9da4fde" href="https://www.facebook.com/storagevilleusa" target="_blank" > <span class="elementor-screen-only">Facebook</span> <i class=...
```

```
<a class="elementor-icon elementor-social-icon elementor-social-icon-instagram elementor-repeater-item-4340a2a" href="https://www.instagram.com/storageville.usa/" target="_blank" > <span class="elementor-screen-only">Instagram</span> <i c...
```

```
<a class="elementor-icon elementor-social-icon elementor-social-icon-pinterest elementor-repeater-item-5c19cd8" href="https://www.pinterest.com/storagevilleUSA/" target="_blank" > <span class="elementor-screen-only">Pinterest</span> <i cl...
```

```
<a class="elementor-icon elementor-social-icon elementor-social-icon-google elementor-repeater-item-5c19cd8" href="https://g.page/r/CcetFJO8s38jEBM/review" target="_blank" > <span class="elementor-screen-only">Google</span> <i class="fab ...
```

```
<a class="elementor-icon elementor-social-icon elementor-social-icon-yelp elementor-repeater-item-4acc9df" href="https://www.yelp.com/biz/storageville-usa-placerville" target="_blank" > <span class="elementor-screen-only">Yelp</span> <i c...
```

```
<a class="elementor-icon elementor-social-icon elementor-social-icon-facebook elementor-repeater-item-b005d8e" href="https://www.facebook.com/storagevilleusa/reviews" target="_blank" > <span class="elementor-screen-only">Facebook</span> <...
```

5	An H1 title provides information to blind-users using screen-readers of what the main topic of the page is and each page should have exactly one H1 title.	Yes	Pass	-	100%
---	--	-----	------	---	------

Successful Elements

```
<h1 class="elementor-heading-title elementor-size-large"><b>Why Choose Us for your Storage in Placerville</b></h1>
```

6	HTML title elements (H1-6) should have texts. If images or links are used, they should include an alternative or screen-reader only text.	Yes	9	0	100%
---	---	-----	---	---	------

7	Elements that visually appear as titles but are coded with a non-heading HTML Tag should include a "role" attribute that equals to "heading" or have their tags fixed.	No	0	6	
---	--	----	---	---	--

Failed Elements

```
<p class="has-text-align-center has-large-font-size"><span style="color: #ffffff;"><strong>Safe. Secure. Convenient.</strong></span></p>
```

```
<span style="color: #ffffff;"><strong>Safe. Secure. Convenient.</strong></span>
```

```
<strong>Safe. Secure. Convenient.</strong>
```

```
<p class="has-text-align-center has-large-font-size"><span style="color: #ffffff;"><strong>Peace of Mind.</strong></span></p>
```

```
<span style="color: #ffffff;"><strong>Peace of Mind.</strong></span>
```

```
<strong>Peace of Mind.</strong>
```

8 Title levels should not be skipped and should be built with consistent hierarchy. For example: you cannot have "h4" titles and "h2" titles without having "h3" titles.

Yes

Pass

-

100%

9 Interactive elements such as links, buttons and form fields should all be navigable using the keyboard by either using a focusable element (a, button, input, etc.) or including the "tabindex" attribute that equals to "0".

Yes

9

15

38%

Successful Elements

```
<div class="elementor-swiper-button elementor-swiper-button-prev" role="button" tabindex="0" aria-label="Previous slide" > <i aria-hidden="true" class="eicon-chevron-left"></i> </div>
```

```
<div class="elementor-swiper-button elementor-swiper-button-next" role="button" tabindex="0" aria-label="Next slide" > <i aria-hidden="true" class="eicon-chevron-right"></i> </div>
```

```
<span class="swiper-pagination-bullet swiper-pagination-bullet-active" data-bullet-index="1" aria-label="Go to slide 2" tabindex="0" role="button" ></span>
```

Failed Elements

```
<span class="swiper-pagination-bullet" data-bullet-index="0" aria-label="Go to slide 1" role="button" ></span>
```

```
<span class="swiper-pagination-bullet" data-bullet-index="2" aria-label="Go to slide 3" role="button" ></span>
```

```
<span class="swiper-pagination-bullet" data-bullet-index="3" aria-label="Go to slide 4" role="button" ></span>
```

```
<span class="swiper-pagination-bullet" data-bullet-index="4" aria-label="Go to slide 5" role="button" ></span>
```

```
<span class="swiper-pagination-bullet" data-bullet-index="5" aria-label="Go to slide 6" role="button" ></span>
```

10	Interactive elements that can be navigated using the keyboard should be surrounded by a visual outline whenever they are focused.	No	Fail	-
----	---	----	------	---

11	Active popups should include an "aria-modal" attribute that equals to "true", and a "role" attribute that equals to "dialog", so screen-reader users know how to navigate within it.	No	0	0
----	--	----	---	---

12	Every page should include hidden links that by clicking on them (either using keyboard navigation or a screen-reader), the user will "skip" certain blocks directly to main landmarks such as main content, menu or footer.	Yes	Pass	-
----	---	-----	------	---

100%

Successful Elements

```
<a class="skip-link screen-reader-text" href="#content" role="link" title="Skip to content" > Skip to content</a>
```

13	Elements that are hidden using CSS manipulations (opacity, height, text-indent, off-canvas, etc.) should be wrapped inside an element with an "aria-hidden" attribute that equals to "false", or include it directly, and have it dynamically changed to "true" when they become visible.	No	0	0
----	---	----	---	---

14	Elements that are hidden using CSS manipulations (opacity, height, text-indent, off-canvas, etc.) should include a "tabindex" attribute that is below 0, and have it dynamically changed to 0 when they become visible.	No	0	0
----	---	----	---	---

15	Menus should either be built using the HTML5 "nav" element or include a "role" attribute that equals to "menu" or "navigation" to indicate a navigation landmark for screen-readers.	Yes	Pass	-	100%
----	--	-----	------	---	------

Successful Elements

```
<nav class="site-navigation ast-flex-grow-1 navigation-accessibility site-header-focus-item" id="primary-site-n
avigation-desktop" aria-label="Site Navigation" itemtype="https://schema.org/SiteNavigationElement" itemsc
ope="itemscope"><div class="main-...
```

16	Menu items that have a dropdown menu include an "aria-haspopup" attribute that equals to "true".	No	0	2	
----	--	----	---	---	--

Failed Elements

```
<a href="https://storagevilleusa.com/pricing/" class="menu-link" >Pricing</a>
```

```
<a href="https://storagevilleusa.com/our-features/" class="menu-link" >Our Features</a>
```

17	Menu items that have a dropdown menu include an "aria-expanded" attribute that equals to "false" that changes to "true" and back when opening or closing the dropdown.	No	0	2	
----	--	----	---	---	--

Failed Elements

```
<a href="https://storagevilleusa.com/pricing/" class="menu-link" >Pricing</a>
```

```
<a href="https://storagevilleusa.com/our-features/" class="menu-link" >Our Features</a>
```

18	Images should have an alternative text description that describes both the objects and the embedded text that the image contains, using the "alt" attribute.	Yes	6	1	86%
----	--	-----	---	---	-----

Successful Elements

```

```

```

```

```

```

```

```

Failed Elements

```

```

19	Background images that are not just for decoration purposes and should have the same treatment as standard images and include a "role" attribute that equals to "img" and an alternative text description in an "aria-label" attribute.	No	Fail	-
----	---	----	------	---

Failed Elements

```
<div class="elementor-background-slideshow__slide_image" style="background-image: url(&quot;https://storagevilleusa.com/wp-content/uploads/2022/11/Inside-Office-scaled.jpg&quot;);"></div>
```

20	Font icons, SVG or images that are being used as spacers, decorations or their purpose is already described by the content should include a "role" attribute that equals to "presentation" or "none".	Yes	15	10	60%
----	---	-----	----	----	-----

Successful Elements

```
<span class="ast-icon icon-arrow" ></span>
```

```
<span class="swiper-notification" aria-live="assertive" aria-atomic="true" ></span>
```

```
<i aria-hidden="true" class="eicon-chevron-left"></i>
```

```
<i aria-hidden="true" class="eicon-chevron-right"></i>
```

Failed Elements

```
<svg class="ast-mobile-svg ast-menu-svg" fill="currentColor" version="1.1" xmlns="http://www.w3.org/2000/sv  
g" width="24" height="24" viewBox="0 0 24 24" ><path d="M3 13h18c0.552 0 1-0.448 1-1s-0.448-1-1-1h-18c-  
0.552 0-1 0.448-1 1s0.448 1 1 1zM3 7h18c...
```

```
<svg class="ast-mobile-svg ast-close-svg" fill="currentColor" version="1.1" xmlns="http://www.w3.org/2000/sv  
g" width="24" height="24" viewBox="0 0 24 24" ><path d="M5.293 6.707 15.293 5.293 5.293 5.293c-0.391 0.39  
1-0.391 1.024 0 1.414s1.024 0.391 1.414...
```

```
<i class="fab fa-facebook"></i>
```

```
<i class="fab fa-instagram"></i>
```

```
<i class="fab fa-pinterest"></i>
```

```
<i class="fab fa-google"></i>
```

```
<i class="fab fa-yelp"></i>
```

```
<span id="elementor-device-mode" class="elementor-screen-only" ></span>
```

```
<svg style="display: none;" class="e-font-icon-svg-symbols" ></svg>
```

21 Figure elements that are used to display images should have a "role" attribute that equals to "none" and the image provide itself should provide the description using an "alt" attribute.

No

0

5

Failed Elements

```
<figure class="swiper-slide-inner"></figure>
```

```
<figure class="swiper-slide-inner"></figure>
```

```
<figure class="swiper-slide-inner"></figure>
```

```
<figure class="swiper-slide-inner"></figure>
```

22	Every "area" element of a "map" tag should be regarded as a standard image and receive an alternative text description using an "alt" attribute.	No	0	0
----	--	----	---	---

23	Small or hidden tracker pixel images (often used for analytics or marketing purposes) should include a "role" attribute that equals to "none" or "presentation" so they are excluded from screen-readers.	No	0	0
----	---	----	---	---

24	Form fields should either include an "aria-label" attribute or a connected LABEL element describing the requirement of the field (email, phone, name, etc.).	Yes	2	1
----	--	-----	---	---

67%

Successful Elements

```
<input type="text" id="wpforms-123-field_0" class="wpforms-field-large wpforms-field-required" name="wpforms[fields][0]" placeholder="Your Name" required="">
```

```
<textarea id="wpforms-123-field_2" class="wpforms-field-medium wpforms-field-required" name="wpforms[fields][2]" placeholder="Message" required=""></textarea>
```

Failed Elements

```
<input type="email" id="wpforms-123-field_1" class="wpforms-field-large wpforms-field-required" name="wpforms[fields][1]" placeholder="Your Email" spellcheck="false" required="">
```

25	Form elements cannot have the same ID, or else their corresponding label will provide false information.	No	0	0
----	--	----	---	---

26	Required form fields should include an "aria-required" attribute that equals to "true" so blind users using screen-readers know their validation.	No	0	2
----	---	----	---	---

Failed Elements

```
<input type="text" id="wpforms-123-field_0" class="wpforms-field-large wpforms-field-required" name="wpforms[fields][0]" placeholder="Your Name" required="">
```

```
<input type="email" id="wpforms-123-field_1" class="wpforms-field-large wpforms-field-required" name="wpforms[fields][1]" placeholder="Your Email" spellcheck="false" required="">
```

27	The validity status of every form element must be represented in the code at all times using the "aria-invalid" attributes and the "true/false" values, and change dynamically when the status changes.	No	0	0
----	---	----	---	---

28	aria-describedby and aria-labeledby attributes should be connected by ID to an element that either has text description or an "aria-label" attribute.	No	0	0
----	---	----	---	---

29	All forms should have a submission button that is built as an input type "submit" or a "button" element, or include a "role" tag that equals to "button". Buttons can be hidden if the form can be submitted using the Enter key.	Yes	Pass	-
----	---	-----	------	---

100%

Successful Elements

```
<form id="wpforms-form-123" class="wpforms-validate wpforms-form" data-formid="123" method="post" enctype="multipart/form-data" action="/" data-token="f3662f5703c38ae46a6b35d04e14a044" novalidate="novalidate"><noscript class="wpforms-error-noscript" ...
```

30	Search forms should include a "role" tag that equals to "search" (or be wrapped by one) to indicate a search landmark for screen-readers.	No	0	0
----	---	----	---	---

31	The title tag of the HEAD section (also the title that appears in the browser tab and Search Engine result pages) should exist and describe the name of the current webpage for screen-reader users.	Yes	Pass	-	100%
----	--	-----	------	---	------

Successful Elements

```
<title>Home - STORAGEVILLE USA Storage in Placerville</title>
```

32	The HTML tag should include a "lang" attribute that represents the main language of the webpage so screen-readers can calibrate on it for blind users.	Yes	Pass	-	100%
----	--	-----	------	---	------

Successful Elements

```
<html lang="en-US"><head> <meta charset="UTF-8"> <meta name="viewport" content="width=device-width, initial-scale=1"> <link rel="profile" href="https://gmpg.org/xfn/11"> <meta name="robots" content="index, follow, max-image-preview:large, max-sn...
```

33	The meta viewport tag should allow vision impaired users to pinch-zoom at least double the standard scaling using the user-scalable="yes" and maximum-scale={2 or higher} content strings.	Yes	Pass	-	100%
----	--	-----	------	---	------

Successful Elements

```
<meta name="viewport" content="width=device-width, initial-scale=1">
```

34	Landmarks such as main content and footer should be built using their corresponding HTML5 element or include a description using an "aria-label" attribute and a "role" tag that equals to "contentinfo" or "main". Landmarks such as search and navigation are tested in other sections.	Yes	3	0	100%
----	---	-----	---	---	------

Successful Elements

```
<main id="main" class="site-main"> <article class="post-1007 page type-page status-publish ast-article-singl
e" id="post-1007" itemtype="https://schema.org/CreativeWork" itemscope="itemscope"> <header class="entr
y-header ast-header-without-ma...
```

```
<footer class="site-footer" id="colophon" itemtype="https://schema.org/WPFooter" itemscope="itemscope" it
emid="#colophon"> <div class="site-below-footer-wrap ast-builder-grid-row-container site-footer-focus-item
ast-builder-grid-row-2-equal ast-bu...
```

35	Font sizes should be at least 11px in size in order to stay readable in the majority of font families. This should be verified also when using dynamic units such as REM or percents.	No	0	10	
----	---	----	---	----	--

Failed Elements

```
<div class="elementor-widget-container"> <style >/*! elementor - v3.19.0 - 29-01-2024 */ .elementor-widget-s
ocial-icons.elementor-grid-0 .elementor-widget-container,.elementor-widget-social-icons.elementor-grid-mob
ile-0 .elementor-widget-container...
```

```
<div class="elementor-social-icons-wrapper elementor-grid"> <span class="elementor-grid-item"> <a class="e
lementor-icon elementor-social-icon elementor-social-icon-facebook elementor-repeater-item-9da4fde" href
="https://www.facebook.com/s...
```

```
<span class="elementor-grid-item"> <a class="elementor-icon elementor-social-icon elementor-social-icon-fa
cebook elementor-repeater-item-9da4fde" href="https://www.facebook.com/storagevilleusa" target="_blank"
> <span class="elementor-scre...
```

```
<span class="elementor-grid-item"> <a class="elementor-icon elementor-social-icon elementor-social-icon-in
stagram elementor-repeater-item-4340a2a" href="https://www.instagram.com/storageville.usa/" target="_bla
nk" > <span class="elementor-...
```

```
<span class="elementor-grid-item"> <a class="elementor-icon elementor-social-icon elementor-social-icon-pi
nterest elementor-repeater-item-5c19cd8" href="https://www.pinterest.com/storagevilleUSA/" target="_blan
k" > <span class="elementor-s...
```

```
<div class="elementor-widget-container"> <div class="elementor-social-icons-wrapper elementor-grid"> <span class="elementor-grid-item"> <a class="elementor-icon elementor-social-icon elementor-social-icon-google elementor-repeater-it...
```

```
<div class="elementor-social-icons-wrapper elementor-grid"> <span class="elementor-grid-item"> <a class="elementor-icon elementor-social-icon elementor-social-icon-google elementor-repeater-item-5c19cd8" href="https://g.page/r/CcetFJO8s38...
```

```
<span class="elementor-grid-item"> <a class="elementor-icon elementor-social-icon elementor-social-icon-google elementor-repeater-item-5c19cd8" href="https://g.page/r/CcetFJO8s38jEBM/review" target="_blank" > <span class="elementor-screen-...
```

```
<span class="elementor-grid-item"> <a class="elementor-icon elementor-social-icon elementor-social-icon-yelp elementor-repeater-item-4acc9df" href="https://www.yelp.com/biz/storageville-usa-placerville" target="_blank" > <span class="elementor-screen-...
```

```
<span class="elementor-grid-item"> <a class="elementor-icon elementor-social-icon elementor-social-icon-facebook elementor-repeater-item-b005d8e" href="https://www.facebook.com/storagevilleusa/reviews" target="_blank" > <span class="elementor-screen-...
```

36	Letter spacing should not be set to below -1px in order to stay readable in the majority of font families. This should be verified also when using dynamic units such as REM or percents.	Yes	Pass	-	100%
----	---	-----	------	---	------

37	Elements that have texts should meet a minimum contrast ratio of 4.5:1 between their foreground (usually text color) and background color.	Yes	39	5	89%
----	--	-----	----	---	-----

Successful Elements

```
<a href="https://storagevilleusa.com/" aria-current="page" class="menu-link" >Home</a>
```

```
<a href="https://storagevilleusa.com/pricing/" class="menu-link" >Pricing</a>
```

```
<a href="https://storagevilleusa.com/our-features/" class="menu-link" >Our Features</a>
```

```
<a href="https://storagevilleusa.com/contact/" class="menu-link" >Contact</a>
```

```
<a href="https://storagevilleusa.com/about-us/" class="menu-link" >About Us</a>
```

```
<a href="https://storagevilleusa.com/blog/" class="menu-link" >Blog</a>
```

```
<span class="elementor-button-text">530-622-9999</span>
```

```
<p>STORAGEVILLE USA offers clean and well maintained storage units with sizes to meet all needs. We also offer boat storage, and RV storage, with the option of covered and uncovered storage spaces. As a local ly owned business that has been serv...
```

```
<button type="submit" name="wpforms[submit]" id="wpforms-submit-123" class="wpforms-submit" data-alt-text="Sending..." data-submit-text="Send Message" aria-live="assertive" value="wpforms-submit" >Send Message</button>
```

Failed Elements

```
<strong>Safe. Secure. Convenient.</strong>
```

```
<strong>Peace of Mind.</strong>
```

```
<h2 class="elementor-heading-title elementor-size-default">Contact Us</h2>
```

```
<span class="wpforms-required-label">*</span>
```

38	Carousels should include an "aria-label" attribute that equals to "carousel"/"slider" or something else that indicates the functionality, as well as be tagged as a landmark for screen-readers using a "role" tag that equals to "contentinfo".	No	0	0
----	--	----	---	---

39	Control elements such as next and previous icons should include an "aria-label" attribute or a screen-reader only text that explains the functionality to screen-readers.	No	0	0
----	---	----	---	---

40	A common accessibility mistake is to treat carousels as live regions using the "aria-live" attribute and the "polite" or the "assertive values. Using this practice will cause screen-readers to cut and skip announcements.	No	0	0
----	--	----	---	---

41	Carousel pagination items (usually used as small dots at the bottom of the carousel) should indicate their functionality and slide number they control using an "aria-label" and a screen-reader only text.	Yes	18	0	100%
----	---	-----	----	---	------

Successful Elements

```
<span class="swiper-pagination-bullet" data-bullet-index="0" aria-label="Go to slide 1" role="button" ></span>
```

```
<span class="swiper-pagination-bullet swiper-pagination-bullet-active" data-bullet-index="1" aria-label="Go to slide 2" tabindex="0" role="button" ></span>
```

```
<span class="swiper-pagination-bullet" data-bullet-index="2" aria-label="Go to slide 3" role="button" ></span>
```

```
<span class="swiper-pagination-bullet" data-bullet-index="3" aria-label="Go to slide 4" role="button" ></span>
```

```
<span class="swiper-pagination-bullet" data-bullet-index="4" aria-label="Go to slide 5" role="button" ></span>
```

```
<span class="swiper-pagination-bullet" data-bullet-index="5" aria-label="Go to slide 6" role="button" ></span>
```

42	Tables that are being used as layout structures should include a "role" attribute that equals to "presentation" to indicate to screen-readers that it is not really a table.	No	0	0
----	--	----	---	---

43	If nested tables are used (a table element within a table cell), set the nested tables "role" attribute to "presentation".	No	0	0
----	--	----	---	---

44	Tables that are missing a THEAD row with TH elements, should include a "role" attribute that equals to "rowheader" on the TD elements of the TR that represents the visual table headings.	No	0	0
----	--	----	---	---

45	Visually deleted texts (often used to show a previous price of a sale) should include an "aria-label" attribute or a screen-reader only text that explains this is deleted text.	No	0	0
----	--	----	---	---

46	Breadcrumbs main element should include a "role" attribute that equals to "navigation" and an "aria-label" attribute that describes the functionality."	No	0	0
----	---	----	---	---

47	Ratings/scores that are represented visually using stars, meters or other indicators should either have an "aria-label" attribute or a screen-reader only texts conveying the score/rate.	No	0	0
----	---	----	---	---

48	Making use of an accessibility interface helps to ensure that vision impaired users can adjust some of the UI and the design (font-size, colors, spacing, etc.) to their needs. It is not a compliance requirement, but can help to improve compliance.	No	0	0
----	---	----	---	---

49	Iframe elements should include a "title" or an "aria-label" attribute explaining the purpose, the functionality or the destination of the iframe, or be tagged hidden for screen-readers if irrelevant.	Yes	Pass	-
----	---	-----	------	---

100%

Successful Elements

```
<iframe loading="lazy" src="https://maps.google.com/maps?q=3675%20Chuckwagon%20Way%2C%20Placerville%2C%20CA%2095667& t=m& z=10& output=embed& iwloc=near" title="3675 Chuckwagon Way, Placerville, CA 95667" aria-label="3675 Chuckwagon Way, ...
```